



DF [PROFESSIONAL
LIGHTING™

2024 Product Catalog



DF | PROFESSIONAL
LIGHTING™

DISCLAIMERS

- Designers Fountain reserves the right to make product changes without prior notice.
- Product specifications in this catalog are approximate and based on the most current information available at the time of publication.
- Finishes may vary due to multiple chemical processes.
- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended; however, lower wattages may be used.
- Larger, heavier fixtures may require additional support and reinforced outlet boxes.
- Some finishes, especially outdoor fixtures, are subject to change slightly due to prolonged exposure to the sun or extreme weather conditions.
- Designers Fountain products are subject to revision to comply with changes in UL, CSA or the National Electrical Code.

All products are either UL or ETL certified where applicable

















CONTENTS

	02 CEILING FANS
	04 RECESSED LIGHTING
	04 Canless LED Fire Rated Down Lights
	05 Canless LED Slim Down Lights
	06 Canless LED Down Lights
	07 Canless LED Baffle Down Lights
	08 Canless LED Commercial Down Lights
	09 Canless LED Trims
	11 LED Retrofit Gimbal Trims
	12 LED Retrofit Trims
	13 LED Frames & Housings
	14 Incandescent Housings & Trims
	15 SURFACE MOUNTS
	15 Integrated LED Disk Lights
	16 Integrated LED Low Profile Flush Mounts
	17 Smart Integrated LED Flush Mounts
	17 Integrated LED Flush Mounts
	21 Integrated LED Puff Flush Mounts
	21 Integrated LED Track Lighting
	24 BATH LIGHTING
	25 WALL SCONCES
	26 OUTDOOR LANTERNS
	26 Integrated LED Post Lanterns
	26 Integrated LED Wall Lanterns
	28 WRAPAROUNDS
	29 STRIP LIGHTS
	31 TROFFERS
	32 HIGH BAYS
	34 SECURITY / FLOOD LIGHTS
	35 OTHER LED
	35 Shop Lights
	35 Waterproof Fixtures
	36 INDEX

NOTE: Listings in **TEAL** indicate **new products**

LEGEND

ADA COMPLIANT		DARK SKY		TITLE 20 COMPLIANT	
AIRTIGHT		DLC CERTIFIED	 	TITLE 24 COMPLIANT	
BULBS INCLUDED		ENERGY STAR RATED		WET LOCATION	
CAST ALUMINUM		INTERNET OF THINGS			
DAMP LOCATION		MOUNT UP OR DOWN			

CEILING FANS



FP-GLT52B30-BN

Featuring Reversible Blades

Pearl Gray (top)
Silver (bottom)



FP-GLT52B30-MB

Featuring Reversible Blades

Sepia Brown (top)
Matte Black (bottom)



FP-GLT52B30-MW

Featuring Reversible Blades

Blonde Maple (top)
Matte White (bottom)



GALLANT FP-GLT52B30-XX

Finishes (XX)	Brushed Nickel (-BN), Matte Black (-MB), Matte White (-MW)
LED Info	(3) E26 Bulbs Included 550 Lumens / 6W each
Color Temp	3000K
Control	Pull Chain
Dimensions	52" Diameter x 18" H
Motor Type	AC
Fan Speeds / Airflow	Low-1,657 CFM @ 73 RPM Medium-2,574 CFM @ 115 RPM High-3,742 CFM @ 162 RPM





FP-STL52B30-BN

Featuring Reversible Blades

Pearl Gray (top)
Silver (bottom)



FP-STL52B30-MB

Featuring Reversible Blades

Sepia Brown (top)
Matte Black (bottom)



FP-STL52B30-MW

Featuring Reversible Blades

Blonde Maple (top)
Matte White (bottom)



STELLANT FP-STL52B30-XX

Finishes (XX)	Brushed Nickel (-BN), Matte Black (-MB), Matte White (-MW)
LED Info	(3) E26 Bulbs Included 550 Lumens / 6W each
Color Temp	3000K
Control	Pull Chain
Dimensions	52" Diameter x 20.5" H
Motor Type	AC
Fan Speeds / Airflow	Low-1,693 CFM @ 74 RPM Medium-2,558 CFM @ 116 RPM High-3,714 CFM @ 163 RPM



RECESSED LIGHTING

CANLESS LED FIRE RATED DOWN LIGHTS



EVFR61193RK50WH



EVFR40893RK50WH



EVFR61190RK50WH



EVFR40890RK50WH

Common Features

- Rated for 2-hour fire exposure
- *Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White housing
- White lens
- 90+ CRI
- IC rated
- Triac dimming
- 50,000-hr LED life
- 5-year warranty
- Available Q3



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EVFR61193RK50WH	6" Round Fire Rated 5CCT Baffle Downlight	See Above*	15 W	1100 Lm	73 Lm/W	6.9"	1.5"	0.81 lb.
EVFR61190RK50WH	6" Round Fire Rated 5CCT Wafer Downlight	See Above*	15 W	1100 Lm	73 Lm/W	6.9"	1.5"	0.81 lb.
EVFR40893RK50WH	4" Round Fire Rated 5CCT Baffle Downlight	See Above*	12 W	800 Lm	67 Lm/W	5"	1.5"	0.74 lbs.
EVFR40890RK50WH	4" Round Fire Rated 5CCT Wafer Downlight	See Above*	12 W	800 Lm	67 Lm/W	5"	1.5"	0.74 lbs.

CANLESS LED SLIM DOWN LIGHTS (WAFERS)



EV457RWK50WH
EV685RWK50WH
EV685RWMVWH50
EV814RWMVWH50



EV457SWK50WH
EV685SWK50WH
EV685SWMVWH50
EV814SWMVWH50
EV814SWMVK50WH

Common Features

- *Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White housing
- White lens
- 90+ CRI
- IC rated
- 50,000-hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
120V and Triac dimming								
EV457RWK50WH	4" Round 5 CCT Slim Panel Downlight	See Above*	9.5 W	600 Lm	63 Lm/W	4.75"	0.41"	0.8 lb.
EV457SWK50WH	4" Square 5 CCT Slim Panel Downlight	See Above*	9.5 W	600 Lm	63 Lm/W	4.75"	0.41"	0.9 lb.
EV685RWK50WH	6" Round 5 CCT Slim Panel Downlight	See Above*	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.1 lbs.
EV685SWK50WH	6" Square 5 CCT Slim Panel Downlight	See Above*	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.2 lbs.
Universal Voltage 120-277V and 0-10V dimming								
EV814SWMVK50WH	8" Square 5 CCT Slim Panel Downlight	See Above*	18 W	1,400 Lm	79 Lm/W	8.85"	0.41"	1.7 lbs.
EV685RWMVWH50	6" Round Slim Panel Downlight	5000K	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.1 lbs.
EV685SWMVWH50	6" Square Slim Panel Downlight	5000K	12.5 W	850 Lm	68 Lm/W	6.85"	0.41"	1.2 lbs.
EV814RWMVWH50	8" Round Slim Panel Downlight	5000K	18 W	1,500 Lm	83 Lm/W	8.85"	0.41"	1.7 lbs.
EV814SWMVWH50	8" Square Slim Panel Downlight	5000K	18 W	1,500 Lm	83 Lm/W	8.85"	0.41"	1.7 lbs.

RECESSED LIGHTING

CANLESS LED DOWN LIGHTS



EV26081WHxx



EV36081WHxx
EV490111WHxx


Common Features

- *Selectable: 2700K, 3000K, 3500K, 4000K, 5000K
- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000-hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EV26081WH30	2" Can Free Remodel Baffle Kit	3000K	8 W	550 Lm	69 Lm/W	2.5"	2.5"	0.9 lb.
EV26081WH40	2" Can Free Remodel Baffle Kit	4000K	8 W	550 Lm	69 Lm/W	2.5"	2.5"	0.9 lb.
EV36081WH30	3" Can Free Remodel Baffle Kit	3000K	8 W	600 Lm	75 Lm/W	4"	2.5"	0.9 lb.
EV36081WH40	3" Can Free Remodel Baffle Kit	4000K	8 W	600 Lm	75 Lm/W	4"	2.5"	0.9 lb.
EV490111WH30	4" Can Free Remodel Baffle Kit	3000K	11 W	900 Lm	82 Lm/W	4"	2.3"	0.9 lb.
EV490111WH40	4" Can Free Remodel Baffle Kit	4000K	11 W	900 Lm	82 Lm/W	4"	2.3"	0.9 lb.


NEW CONSTRUCTION PLASTER FRAME WITH TRIM OPTIONS



EVMP6HBMJ2W-I



EV61093K50WH



EV61093K50BK



EV61093K50BZ



DRF6WHWH9105C

Common Features

- *Selectable: 2700K, 3000K, 3500K, 4000K, 5000K
- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000-hr LED life
- 5-year warranty




Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Weight
EV61093K50WH	6" Round 5 CCT Baffle Downlight	See Above*	10.5 W	1000 Lm	95 Lm/W	7.36"	3.05"	1.2 lbs.
EV61093K50BK	6" Round 5 CCT Baffle Downlight	See Above*	10.5 W	1000 Lm	95 Lm/W	7.36"	3.05"	1.2 lbs.
EV61093K50BZ	6" Round 5 CCT Baffle Downlight	See Above*	10.5 W	1000 Lm	95 Lm/W	7.36"	3.05"	1.2 lbs.
DRF6WHWH9105C	6" Round 5 CCT Wafer Downlight	See Above*	12 W	1000 Lm	83 Lm/W	7.25"	2.36"	1.2 lbs.
EVMP6HBMJ2W-I	6" New Construction Plaster Frame	N/A	N/A	N/A	N/A	14.88"	4.25"	


CANLESS LED BAFFLE DOWN LIGHTS



EV30693RK50WH



EV30693RK50BK



EV30693RK50BZ



EV40893RK50WH




EV40893RK50BK




EV40893RK50BZ



EV61093RK50WH



EV61093RK50BK



EV61093RK50BZ

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- 120V input
- 50,000-hr LED life
- White lens
- 90+ CRI
- 5-year warranty
- IC rated



Model #	Description	Wattage	Lumens	Efficacy	Width	Height	Weight
EV30693RK50WH	3" 5 CCT Can Free Remodel Baffle Kit	7.3 W	600 Lm	82 Lm/W	4"	2"	0.9 lb.
EV30693RK50BK	3" 5 CCT Can Free Remodel Baffle Kit	7.3 W	600 Lm	82 Lm/W	4"	2"	0.9 lb.
EV30693RK50BZ	3" 5 CCT Can Free Remodel Baffle Kit	7.3 W	600 Lm	82 Lm/W	4"	2"	0.9 lb.
EV40893RK50WH	4" 5 CCT Can Free Remodel Baffle Kit	9 W	850 Lm	94 Lm/W	5.1"	2.5"	1.1 lbs.
EV40893RK50BK	4" 5 CCT Can Free Remodel Baffle Kit	9 W	850 Lm	94 Lm/W	5.1"	2.5"	1.1 lbs.
EV40893RK50BZ	4" 5 CCT Can Free Remodel Baffle Kit	9 W	850 Lm	94 Lm/W	5.1"	2.5"	1.1 lbs.
EV61093RK50WH	6" 5 CCT Can Free Remodel Baffle Kit	10 W	1,000 Lm	100 Lm/W	7.3"	2.75"	1.3 lbs.
EV61093RK50BK	6" 5 CCT Can Free Remodel Baffle Kit	10 W	1,000 Lm	100 Lm/W	7.3"	2.75"	1.3 lbs.
EV61093RK50BZ	6" 5 CCT Can Free Remodel Baffle Kit	10 W	1,000 Lm	100 Lm/W	7.3"	2.75"	1.3 lbs.

RECESSED LIGHTING

CANLESS LED COMMERCIAL DOWN LIGHTS



EV61518MVK33WH
EV82022MVK33WH
EV103032MVK33WH



Alternate view

Common Features

- Selectable CCT: 3000K, 3500K, 4000K
- 90+ CRI
- IC rated
- White acrylic lens
- 120/277V input
- 50,000-hr LED life
- White finish
- 0-10V dimming
- 5-year warranty




Model #	Description	Wattage	Lumens	CCT	Width	Height	Weight
EV61518MVK33WH	6" Commercial Downlight	7/10/18W	700/1000/1500 Lm	See Above	8.26"	5.23"	1.4 lbs.
EV82022MVK33WH	8" Commercial Downlight	10/15/22 W	1000/1500/2000 Lm	See Above	10.23"	5.87"	1.8 lbs.
EV103032MVK33WH	10" Commercial Downlight	20/25/32 W	2000/2500/3000 Lm	See Above	11.5"	6.38"	2.6 lbs.


Accessories



GRING06
GRING08
GRING10



PFRAMEGRID



PFRAMEJOIST

Model #	Description	Diameter Outer/Inner	Max Ceiling Cutout
GRING06	6" Goof Ring	8.9" / 6.31"	8"
GRING08	8" Goof Ring	12.5" / 8.5"	10.9375"
GRING10	10" Goof Ring	14.2" / 8.9"	12.375"

Model #	Description	Width	Height
PFRAMEGRID	Universal T-Grid Frame	23.75"	11.9"
PFRAMEJOIST	Universal Joist Frame	19.7"	12"

CANLESS LED GIMBAL TRIMS



EV306FGRK50WH



EV306FGRK50BK



EV306FGRK50BZ



EV408FGRK50WH



EV408FGRK50BK



EV408FGRK50BZ



EV610FGRK50WH



EV610FGRK50BK



EV610FGRK50BZ

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- Clear lens
- 90+ CRI
- 120V input
- IC rated
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Beam Angle	Width	Height	Driver Width	Driver Height	Driver Depth	Ceiling Cutout
EV306FGRK50WH	3" Floating Gimbal	7.3 W	600 Lm	35°	3.8"	1.3"	3.8"	1.52"	2.3"	3.62"
EV306FGRK50BK	3" Floating Gimbal	7.3 W	600 Lm	35°	3.8"	1.3"	3.8"	1.52"	2.3"	3.62"
EV306FGRK50BZ	3" Floating Gimbal	7.3 W	600 Lm	35°	3.8"	1.3"	3.8"	1.52"	2.3"	3.62"
EV408FGRK50WH	4" Floating Gimbal	9 W	800 Lm	35°	3.8"	1.45"	3.8"	1.52"	2.3"	4.25"
EV408FGRK50BK	4" Floating Gimbal	9 W	800 Lm	35°	3.8"	1.45"	3.8"	1.52"	2.3"	4.25"
EV408FGRK50BZ	4" Floating Gimbal	9 W	800 Lm	35°	3.8"	1.45"	3.8"	1.52"	2.3"	4.25"
EV610FGRK50WH	6" Floating Gimbal	12 W	1,000 Lm	35°	3.5"	1.6"	3.5"	1.4"	3.5"	5.5"
EV610FGRK50BK	6" Floating Gimbal	12 W	1,000 Lm	35°	3.5"	1.6"	3.5"	1.4"	3.5"	5.5"
EV610FGRK50BZ	6" Floating Gimbal	12 W	1,000 Lm	35°	3.5"	1.6"	3.5"	1.4"	3.5"	5.5"

RECESSED LIGHTING

CANLESS LED GIMBAL TRIMS



EV35062RFGWHxx



EV480102RFGWHxx



EV36082WHxx



EV490112WHxx

Common Features

- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000-hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Beam Angle	Width	Height	Driver Width	Driver Height	Driver Depth	Ceiling Cutout
EV35062RFGWH40	3" LED Floating Gimbal	4000K	6 W	450 Lm	36°	4.25"	1.25"	3.375"	1.375"	3.375"	3.5"
EV36082WH30	3" LED Floating Gimbal	3000K	8 W	600 Lm	36°	3"	2.3"	3.375"	1.375"	3.375"	3.5"
EV36082WH40	3" LED Floating Gimbal	4000K	8 W	600 Lm	36°	3"	2.3"	3.375"	1.375"	3.375"	3.5"
EV480102RFGWH30	4" LED Floating Gimbal	3000K	9 W	600 Lm	30°	4.875"	1.375"	3.375"	1.375"	3.5"	4.125"
EV480102RFGWH40	4" LED Floating Gimbal	4000K	9 W	600 Lm	30°	4.875"	1.375"	3.375"	1.375"	3.5"	4.125"
EV490112WH30	4" LED Floating Gimbal	3000K	12 W	900 Lm	30°	4"	2.3"	3.375"	1.375"	3.5"	4.125"
EV490112WH40	4" LED Floating Gimbal	4000K	12 W	900 Lm	30°	4"	2.3"	3.375"	1.375"	3.5"	4.125"

LED GIMBAL RETROFIT TRIMS

6" and 4" LED Gimbal Trim



EVL40892T50WH



EVL40892T50BK



EVL40892T50BZ



EVL61092T50WH



EVL61092T50BK



EVL61092T50BZ

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- Aluminum lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Efficacy	Width	Height	Weight
EVL40892T50WH	4" LED Gimbal Trim	8.5 W	800 Lm	83 Lm/W	5.02"	2.4"	0.57 lb.
EVL40892T50BK	4" LED Gimbal Trim	8.5 W	800 Lm	83 Lm/W	5.02"	2.4"	0.57 lb.
EVL40892T50BZ	4" LED Gimbal Trim	8.5 W	800 Lm	83 Lm/W	5.02"	2.4"	0.57 lb.
EVL61092T50WH	6" LED Gimbal Trim	12 W	1000 Lm	82 Lm/W	7.13"	2.7"	1.12 lbs.
EVL61092T50BK	6" LED Gimbal Trim	12 W	1000 Lm	82 Lm/W	7.13"	2.7"	1.12 lbs.
EVL61092T50BZ	6" LED Gimbal Trim	12 W	1000 Lm	82 Lm/W	7.13"	2.7"	1.12 lbs.

RECESSED LIGHTING

LED RETROFIT TRIMS



EVL4733CWHxx



EVL6733DWHxx
EVL6733DK50WH
EVL69093DK50WH
EVL61433DK50WH



EVL6733DK50BN



EVL40893T50WH



EVL40893T50BK



EVL40893T50BZ



EVL61093T50WH



EVL61093T50BK



EVL61093T50BZ



EVL61091T50WH



RB6WHWH8102C

Common Features


- *Selectable CCT: 2700K, 3000K, 3500K, and 4000K, 5000K
- 120V input
- IC rated
- White lens
- 90+ CRI
- 50,000-hr LED life
- Dimmable
- 5-year warranty

NOTE: **Not T20/T24 compliant



Model #	Description	CCT	Wattage	Lumens	Efficacy	CRI	Width	Height	Weight
EVL4733CWH27	4" Deep Baffle	2700K	7 W	600 Lm	86 Lm/W	90+	5"	2.75"	0.8 lb.
EVL4733CWH30	4" Deep Baffle	3000K	7 W	600 Lm	86 Lm/W	90+	5"	2.75"	0.8 lb.
EVL4733CWH35	4" Deep Baffle	3500K	7 W	600 Lm	86 Lm/W	90+	5"	2.75"	0.8 lb.
EVL4733CWH40	4" Deep Baffle	4000K	7 W	600 Lm	86 Lm/W	90+	5"	2.75"	0.8 lb.
EVL4733CWH50	4" Deep Baffle	5000K	7 W	600 Lm	86 Lm/W	90+	5"	2.75"	0.8 lb.
EVL40893T50WH	4" 5 CCT Deep Baffle	See Above*	8.5 W	800 Lm	94 Lm/W	90+	5.12"	1.75"	0.2 lb.
EVL40893T50BK	4" 5 CCT Deep Baffle	See Above*	8.5 W	800 Lm	94 Lm/W	90+	5.12"	1.75"	0.2 lb.
EVL40893T50BZ	4" 5 CCT Deep Baffle	See Above*	8.5 W	800 Lm	94 Lm/W	90+	5.12"	1.75"	0.2 lb.
EVL6733DWH27	6" Baffle	2700K	8 W	740 Lm	92 Lm/W	90+	7.5"	2.00"	0.4 lb.
EVL6733DK50WH	6" 5 CCT Baffle	See Above*	8 W	740 Lm	92 Lm/W	90+	7.5"	2.00"	0.4 lb.
EVL6733DK50BN	6" 5 CCT Baffle	See Above*	8 W	740 Lm	92 Lm/W	90+	7.5"	2.00"	0.4 lb.
EVL61093T50WH	6" 5 CCT Baffle	See Above*	12 W	1000 Lm	83Lm/W	90+	7.36"	2.36"	0.4 lb.
EVL61093T50BK	6" 5 CCT Baffle	See Above*	12 W	1000 Lm	83Lm/W	90+	7.36"	2.36"	0.4 lb.
EVL61093T50BZ	6" 5 CCT Baffle	See Above*	12 W	1000 Lm	83Lm/W	90+	7.36"	2.36"	0.4 lb.
EVL69093DK50WH	6" 5 CCT Baffle	See Above*	11 W	1000 Lm	91 Lm/W	90+	7.5"	2.00"	0.4 lb.
EVL61091T50WH	6" 5 CCT Smooth	See Above*	12 W	1000 Lm	83Lm/W	90+	7.36"	2.36"	0.4 lb.
RB6WHWH8102C**	6" 2CCT Baffle	3000K/4000K	11 W	1050 Lm	95Lm/W	80+	7.30"	2.10"	0.4 lb.
EVL61433DK50WH	6" 5 CCT Baffle	See Above*	14 W	1400 Lm	100 Lm/W	90+	7.5"	2.00"	0.4 lb.

LED NEW CONSTRUCTION FRAME



EVMPHB346

Features

- 1-year warranty

Model #	Description	Width	Height
EVMPHB346	Universal New Construction Frame for 3", 4", & 6" Can-Free Down Lights	14.25"	1.88"

LED DEDICATED HOUSINGS

4" & 6" LED Housing



EVR6SLICATB-N



EVR6LICATB



EVR6LICRAT



EVR6SLICRAT-N



EVR2000LB



EVR2000LR

Common Features


- 120V input
- IC rated
- 1-year warranty
- Suitable for 10AWG copper plated aluminum wire



Model #	Description	Width	Height
EVR6SLICATB-N	6" Recessed LED Housing, New Construction, Shallow, 10 AWG Wire	14"	5.5"
EVR6LICATB	6" Recessed LED Housing, New Construction	14"	7.5"
EVR6LICRAT	6" Recessed LED Housing, Remodel	11"	7.5"
EVR6SLICRAT-N	6" Recessed LED Housing, Remodel, Shallow, 10 AWG Wire	11"	5.5"
EVR2000LB	4" Recessed LED Housing, New Construction	15.76"	5.5"
EVR2000LR	4" Recessed LED Housing, Remodel	8.5"	5.5"

RECESSED LIGHTING

INCANDESCENT HOUSINGS



EVRH5000SICATB



EVRH71CATB



EVRH71CRAT



EVRH2000BB



EVRH2000R

Common Features

- 120V input
- 1-year warranty
- *Airtight

Model #	Description	Width	Height
EVRH5000SICATB*	6" Recessed Housing, New Construction, Shallow, IC Rated	14"	5.5"
EVRH71CATB*	6" Recessed Housing, New Construction, IC Rated	14"	7.5"
EVRH71CRAT*	6" Recessed Housing, Remodel, IC Rated	11"	7.5"
EVRH2000BB	4" Recessed Housing, New Construction	15"	5.5"
EVRH2000R	4" Recessed Housing, Remodel	8.5"	5.5"

INCANDESCENT TRIMS




EVRT601WH



EVRT635WH



EVRT634WH



EVRT610WH
EVRT610MBWH



EVRT610MWWH



EVRT603WH



EVRT201LWH



EVRT205WH



EVRT432G2WH

Model #	Description	Trim Finish	Width	Height
EVRT601WH	6" Open Trim	White	8"	0.5"
EVRT635WH	6" Airtight Baffle Trim	White	7.25"	5"
EVRT634WH	6" Baffle Trim - Phenolic Plastic	White	7.25"	3"
EVRT610WH	6" Baffle Trim - Phenolic Plastic	Black	7.25"	3"
EVRT610MBWH	6" Baffle Trim - Metal	Black	7.25"	3"
EVRT610MWWH	6" Baffle Trim - Metal	White	7.25"	3"
EVRT603WH	6" Eyeball Trim	White	7.7"	4"
EVRT201LWH	4" Baffle Trim	White	5.1"	2.5"
EVRT205WH	4" Eyeball Trim	White	5"	3"
EVRT432G2WH	4" Shower Trim	White	5"	2.5"

INTEGRATED LED DISK LIGHTS



EV1595C5-06



EV1595C5-43



EV1595C5-48



EVDK918K50WH



EVDSK81825CWHxx



EVDKMS710K50WH



EVDK710AK50WH



EVDK710K50BK



RC7WHWH8102C



EVDK690DWHxx



EVDSK69015CWHxx
EVDSK46010CWHxx

Common Features

- *Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White (WH,06), Bronze (BZ,48), and Black (BK,43) finishes
- 120V input
- Dimmable
- IC rated
- ** Includes Parts for Recessed Housing Installation



Model #	Description	Wattage	Lumens	CCT	CRI	Diameter	Height	Weight
30,000-hr LED life and 3-year warranty								
EV1595C5-06	13" Disk Light	24 W	1,800 Lm	See Above*	90+	13"	1.75"	1.2 lb
EV1595C5-43	13" Disk Light	24 W	1,800 Lm	See Above*	90+	13"	1.75"	1.2 lb
EV1595C5-48	13" Disk Light	24 W	1,800 Lm	See Above*	90+	13"	1.75"	1.2 lb
50,000-hr LED life and 5-year warranty								
EVDK918K50WH	9" Disk Light	25.72 W	1,800 Lm	See Above*	90+	9.45"	2.28"	0.8 lb.
EVDSK81825CWH27	9" Disk Light	25 W	1,700 Lm	2700K	90+	9.5"	1.5"	0.8 lb.
EVDSK81825CWH40	9" Disk Light	25 W	1,700 Lm	4000K	90+	9.5"	1.5"	0.8 lb.
EVDKMS710K50WH	7" Disk Light with Motion Sensor	12 W	1,000 Lm	See Above*	90+	7.3"	1"	0.41 lb.
EVDK710AK50WH**	7" Disk Light	12 W	1,000 Lm	See Above*	90+	7.24"	1.27"	0.41 lb.
EVDK710K50BK**	7" Disk Light	12 W	1,000 Lm	See Above*	90+	7.24"	1.27"	0.41 lb.
RC7WHWH8102C**	7" Disk Light	12 W	1,000 Lm	3000K / 4000K	80+	7.3"	0.98"	0.4 lb.
EVDK690DWH27	7" Disk Light	14.3 W	1,000 Lm	2700K	90+	7.5"	1.4"	0.7 lb.
EVDK690DWH30	7" Disk Light	14.3 W	1,000 Lm	3000K	90+	7.5"	1.4"	0.7 lb.
EVDK690DWH40	7" Disk Light	14.3 W	1,000 Lm	4000K	90+	7.5"	1.4"	0.7 lb.
EVDSK46010CWH30	5" Disk Light	10.1 W	600 Lm	3000K	90+	6.25"	1.25"	0.4 lb.
EVDSK46010CWH40	5" Disk Light	10.1 W	600 Lm	4000K	90+	6.25"	1.25"	0.4 lb.

SURFACE MOUNTS

INTEGRATED LED LOW PROFILE FLUSH MOUNTS



EV1598C5-35
EV1597C5-35



EV1598C5-43
EV1597C5-43

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White plastic lens
- 120V input
- 80+ CRI
- Triac dimming
- 30,000-hr LED life
- 3-year warranty
- Available Q3



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height
EV1598C5-35	15" 5-CCT Low Profile Flush Mount	White w/Brushed Nickel Accent	24 W	1,800 Lm	15"	1.5"
EV1598C5-43	15" 5-CCT Low Profile Flush Mount	White w/Matte Black Accent	24 W	1,800 Lm	15"	1.5"
EV1597C5-35	13" 5-CCT Low Profile Flush Mount	White w/Brushed Nickel Accent	24 W	1,500 Lm	13"	1.5"
EV1597C5-43	13" 5-CCT Low Profile Flush Mount	White w/Matte Black Accent	24 W	1,500 Lm	13"	1.5"



LED1590L3-WH
LED1591L3-WH



LED1590L3-BK
LED1591L3-BK



LED1592L3-WH
LED1593L3-WH



LED1592L3-BK
LED1593L3-BK

Common Features

- 3000K
- White plastic lens
- 120V input
- Triac dimming
- 30,000-hr LED life
- 3-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height
LED1590L3-WH	5" Round Low Profile LED Flush Mount	White	8.5 W	550 Lm	5.25"	0.61"
LED1590L3-BK	5" Round Low Profile LED Flush Mount	Black	8.5 W	550 Lm	5.25"	0.61"
LED1591L3-WH	7" Round Low Profile LED Flush Mount	White	12.5 W	800 Lm	7"	0.63"
LED1591L3-BK	7" Round Low Profile LED Flush Mount	Black	12.5 W	800 Lm	7"	0.63"
LED1592L3-WH	9" Round Low Profile LED Flush Mount	White	18 W	1,300 Lm	8.85"	0.63"
LED1592L3-BK	9" Round Low Profile LED Flush Mount	Black	18 W	1,300 Lm	8.85"	0.63"
LED1593L3-WH	12" Round Low Profile LED Flush Mount	White	24 W	1,800 Lm	11.88"	0.63"
LED1593L3-BK	12" Round Low Profile LED Flush Mount	Black	24 W	1,800 Lm	11.88"	0.63"


WIZ CONNECTED SMART INTEGRATED LED FLUSH MOUNTS



LED155xRGB-BN



LED1555RGB-WH



16 Million Colors
64,000 Shades of White
Over 20 Preloaded Scenes

works with the
Google Assistant



Common Features

- 16 Million Colors
- Tunable White: 2200K–6500K
- White acrylic lens
- Voice control: works with Amazon Alexa, Google Assistant, Siri Shortcuts, and IFTT
- 120V input
- Dimmable via the Wiz app and voice control
- 30,000-hr LED life
- 3-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
LED1552RGB-BN	12" Round Smart LED Flush Mount	Brushed Nickel	13.5 W	1,000 Lm	12"	3.7"	2.03 lbs.
LED1553RGB-BN	14" Round Smart LED Flush Mount	Brushed Nickel	23 W	1,400 Lm	14"	3.7"	2.71 lbs.
LED1554RGB-BN	16" Round Smart LED Flush Mount	Brushed Nickel	27 W	1,800 Lm	16"	4"	3.2 lbs.
LED1555RGB-WH	14" Round Smart LED Flush Mount	White	23 W	1,600 Lm	14"	4"	2.5 lbs.

INTEGRATED LED DC FLUSH MOUNTS



EV14xC3C-34



EV14xC3C-35



EV14xC3C-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Triac dimming
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
EV1410C3C-34	10" Round Flush Mount	Oil Rubbed Bronze	18.5 W	1,150 Lm	10.31"	3.5"	1.34 lbs.
EV1410C3C-35	10" Round Flush Mount	Brushed Nickel	18.5 W	1,150 Lm	10.31"	3.5"	1.34 lbs.
EV1410C3C-43	10" Round Flush Mount	Matte Black	18.5 W	1,150 Lm	10.31"	3.5"	1.34 lbs.
EV1412C3C-34	12" Round Flush Mount	Oil Rubbed Bronze	18.5 W	1,200 Lm	12"	3.82"	2.09 lbs.
EV1412C3C-35	12" Round Flush Mount	Brushed Nickel	18.5 W	1,200 Lm	12"	3.82"	2.09 lbs.
EV1412C3C-43	12" Round Flush Mount	Matte Black	18.5 W	1,200 Lm	12"	3.82"	2.09 lbs.
EV1414C3C-34	14" Round Flush Mount	Oil Rubbed Bronze	25.5 W	1,400 Lm	14"	4"	2.42 lbs.
EV1414C3C-35	14" Round Flush Mount	Brushed Nickel	25.5 W	1,400 Lm	14"	4"	2.42 lbs.
EV1414C3C-43	14" Round Flush Mount	Matte Black	25.5 W	1,400 Lm	14"	4"	2.42 lbs.
EV1416C3C-34	16" Round Flush Mount	Oil Rubbed Bronze	27.5 W	1,800 Lm	16"	4.10"	2.73 lbs.
EV1416C3C-35	16" Round Flush Mount	Brushed Nickel	27.5 W	1,800 Lm	16"	4.10"	2.73 lbs.
EV1416C3C-43	16" Round Flush Mount	Matte Black	27.5 W	1,800 Lm	16"	4.10"	2.73 lbs.

SURFACE MOUNTS

INTEGRATED LED FLUSH MOUNTS



EV1586C5-43

Features

- 5-CCT Selectable: 2700K, 3000K, 3500K, 4000K, and 5000K
- 90+ CRI
- 30,000-hr LED life
- White plastic lens
- 120V input
- 3-year warranty
- Triac dimming



Model #	Description	Housing Finish	Wattage	Lumens	Diameter	Height	Weight
EV1586C5-43	13" Round LED Flush Mount	Matte Black	22 W	1300 Lm	13"	1.38"	2.32 lbs



EV1588C3-338



EV3163C3B-43



EV1558C3-43



EV1589C3-43



EV31xxC3A-35



EV31xxC3A-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- 120V input
- 5-year warranty
- White plastic lens
- Triac dimming
- **NOTE:** *Not T24 compliant
- 90+ CRI
- 50,000-hr LED life



Model #	Description	Housing Finish	Wattage	Lumens	Width	Height	Weight
EV1588C3-338	16" Round LED Flush Mount	Gray & Brushed Gold	26W	1,600 Lm	16"	3.74"	3 lbs.
EV3163C3B-43*	16" Round LED Flush Mount	Matte Black	30 W	1,700 Lm	16"	3.54"	3.64 lbs.
EV1558C3-43	16" Round LED Flush Mount	Matte Black	34 W	2,000 Lm	16"	5.3"	4.38 lbs.
EV1589C3-43	14" Square LED Flush Mount	Matte Black	29 W	1,600 Lm	13.75"	3"	4.6 lbs.
EV3162C3A-35	14" Round LED Flush Mount	Brushed Nickel	25.5 W	1,400 Lm	13.97"	3.55"	2.76 lbs.
EV3162C3A-43	14" Round LED Flush Mount	Matte Black	25.5 W	1,400 Lm	13.97"	3.55"	2.76 lbs.
EV3160C3A-35	10" Round LED Flush Mount	Brushed Nickel	18.5 W	1,100 Lm	10"	2.67"	1.43 lbs.
EV3160C3A-43	10" Round LED Flush Mount	Matte Black	18.5 W	1,100 Lm	10"	2.67"	1.43 lbs.

INTEGRATED LED FLUSH MOUNTS



EV1572C3-342



EV1573C3-342

Common Features


- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Triac dimming
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Depth	Height	Weight
EV1572C3-342	15" Round LED Flush Mount	Matte Black with Brushed Nickel Accent	32 W	1,800 Lm	15.16"	15.16"	3.15"	3.77 lbs.
EV1573C3-342	47" Linear LED Flush Mount	Matte Black with Brushed Nickel Accent	60 W	3,500 Lm	47"	10.04"	3.15"	10.27 lbs.



EV1583C3-43



EV1584C3-338

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 80+ CRI
- 120V input
- Triac dimming
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Depth	Height	Weight
EV1583C3-43	44" Linear LED Flush Mount	Matte Black	55 W	4,000 Lm	44"	13"	5.88"	15.5 lbs.
EV1584C3-338	44" Linear LED Flush Mount	Gray with Brushed Gold Accent	53 W	4,000 Lm	44.10"	10.1"	3.8"	7.27 lbs.

SURFACE MOUNTS

INTEGRATED LED FLUSH MOUNTS



EV1517L4-151

Features

- Acrylic shade
- 4000K CCT
- 80+ CRI
- 120V input
- Triac dimming
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Housing Finish	Wattage	Lumens	Width	Depth	Height	Weight
EV1517L4-151	49" Linear LED Flush Mount	Natural Iron	59 W	4,100 Lm	49.25"	18.5"	4"	18.92 lbs.



EV1424C3C-43



3200LEDC-35

Common Features

- White plastic lens
 - 120V input
 - Triac dimming
 - 50,000-hr LED life
 - 5-year warranty
- NOTE:** *Not T24 compliant



Model #	Description	Housing Finish	Wattage	Lumens	CRI	Width	Height	Depth	Weight
EV1424C3C-35	24" Oval Flush Mount - Selectable CCT 3000K, 4000K, 5000K	Brushed Nickel	40 W	2,800 Lm	90+	24"	4.3"	13.6"	4.33 lbs.
EV1424C3C-43	24" Oval Flush Mount - Selectable CCT 3000K, 4000K, 5000K	Matte Black	40 W	2,800 Lm	90+	24"	4.3"	13.6"	4.33 lbs.
3200LEDC-35*	32" Oval Flush Mount - 3000K CCT	Brushed Nickel	45 W	3,100 Lm	80+	32.3"	4.65"	18.1"	7.6 lbs.
3200LEDC-43*	32" Oval Flush Mount - 3000K CCT	Matte Black	45 W	3,100 Lm	80+	32.3"	4.65"	18.1"	7.6 lbs.

INTEGRATED LED PUFF FLUSH MOUNTS



EV101xC5C-06



EV101xSC5C-06

Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
 - White plastic lens
 - White finish
 - 120V input
 - Triac dimming
 - 50,000-hr LED life
 - 5-year warranty
- NOTE:** *Not T24 compliant



Model #	Description	CRI	Wattage	Lumens	Width	Height	Weight
EV1011C5C-06	11" Round Puff LED Flush Mount	80+	15 W	1200 Lm	10.8"	3.94"	0.9 lb.
EV1014C5C-06*	14" Round Puff LED Flush Mount	90+	25 W	1600 Lm	13.63"	4.03"	1.64 lbs.
EV1011SC5C-06*	11" Square Puff LED Flush Mount	90+	18.5 W	1200 Lm	10.76"	3.3"	1.22 lbs.
EV1014SC5C-06*	14" Square Puff LED Flush Mount	90+	25 W	1600 Lm	13.83"	3.9"	2.44 lbs.

INTEGRATED LED TRACK LIGHT / FLUSH MOUNT COMBO KIT



1049TFD3H-35

Features

- Brushed Nickel (35) finish
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 30,000-hr LED life
- 3-year warranty

Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
1049TFD3H-35	4-Head Track Kit/Flush Mount Combo with S-Shaped Bar	30.13 W	2,110 Lm	34"	7.5"	7.5"	3.7 lbs.

SURFACE MOUNTS

INTEGRATED LED TRACK LIGHTS



EVT102027B-35




EVT101727B-35



EVT101227B-35



EVT61047D3-05



EVT41052D3-35



EVT41052D3-43

Common Features

- Brushed Nickel (35), Black (05), Matte Black (43), or White (06) finish
- Triac dimming
- 120V input
- 50,000-hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	CRI	Width	Height	Depth	Weight
EVT101227B-35	4 Cylindrical Heads, Straight Bar	2700K	23 W	2,000 Lm	80+	29.5"	6.0"	5.78"	2.53 lbs.
EVT101727B-35	4 Bullet Heads, Curved Bar	2700K	23 W	1,900 Lm	80+	31.5"	6.6"	6"	2.52 lbs.
EVT102027B-35	4 Frosted Shade Heads, Straight Bar	2700K	23 W	1,900 Lm	80+	29.5"	6"	4.5"	2.7 lbs.
EVT61047D3-05	6 Cylindrical Heads, 2 Straight Bars	3000K	29 W	2,700 Lm	80+	52.1"	6.2"	5.12"	3.86 lbs.
EVT41052D3-35	4-Light LED Fixed Track	3000K	28 W	1,800 Lm	90+	24.8"	7.4"	4.85"	2.5 lbs.
EVT41052D3-43	4-Light LED Fixed Track	3000K	28 W	1,800 Lm	90+	24.8"	7.4"	4.85"	2.5 lbs.

INTEGRATED LED TRACK KITS

Rail and 3 LED Track Heads Included



EVT1042D3A-05



EVT1042D3A-06

Common Features

- Black (05) or White (06) finish
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 50,000-hr LED life
- 5-year warranty

Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
EVT1042D3A-05	Small Step Cylinder LED Track Head	20 W	1,500 Lm	42"	7.25"	4.5"	2.77 lbs.
EVT1042D3A-06	Small Step Cylinder LED Track Head	20 W	1,500 Lm	42"	7.25"	4.5"	2.77 lbs.

SINGLE INTEGRATED LED TRACK HEADS



EVT1030D3A-05



EVT1031D3A-06



EVT1032D3-05

Common Features

- Black (05) or White (06) finish
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 50,000-hr LED life
- 5-year warranty

Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
EVT1030D3A-05	Small Step Cylinder LED Track Head	6 W	500 Lm	4"	5.5"	2.5"	0.49 lb.
EVT1030D3A-06	Small Step Cylinder LED Track Head	6 W	500 Lm	4"	5.5"	2.5"	0.49 lb.
EVT1031D3A-05	Medium Step Cylinder LED Track Head	12 W	850 Lm	5.25"	6.25"	3.5"	0.79 lb.
EVT1031D3A-06	Medium Step Cylinder LED Track Head	12 W	850 Lm	5.25"	6.25"	3.5"	0.79 lb.
EVT1032D3-05	Large Step Cylinder LED Track Head	17.5 W	1,280 Lm	6.43"	7.06"	4.43"	1.06 lb.
EVT1032D3A-06	Large Step Cylinder LED Track Head	15 W	1,280 Lm	6.43"	7.06"	4.43"	1.06 lb.

INTEGRATED LED PUFF FLUSH MOUNT BATH LIGHTS



15xxN3MV-35



1544N3MV-06



1545N3MV-06



1546N3MV-06

Common Features

- White acrylic lens
- 120/277V input
- *Brushed Nickel accent
- 3000K CCT
- 80+ CRI
- 50,000-hr LED life
- 5-year warranty



Model #	Description	Wattage	Lumens	Width	Height	Depth	Weight
1541N3MV-35*	24" Linear LED Flush Mount Bath Light	25 W	2,200 Lm	24.06"	4.25"	6"	4.7 lbs.
1542N3MV-35*	36" Linear LED Flush Mount Bath Light	30 W	2,700 Lm	36.06"	4.25"	6"	5.95 lbs.
1543N3MV-35*	48" Linear LED Flush Mount Bath Light	40 W	3,700 Lm	47.83"	4.25"	6"	7.09 lbs.
1544N3MV-06	24" LED Linear Puff Semi-Flush Mount	25 W	2,500 Lm	26.38"	4.5"	6"	3.60 lbs.
1545N3MV-06	36" LED Linear Puff Semi-Flush Mount	30 W	2,900 Lm	38.23"	4.5"	6"	5.02 lbs.
1546N3MV-06	48" LED Linear Puff Semi-Flush Mount	40 W	4,000 Lm	48"	4.5"	6"	6.39 lbs.

INTEGRATED LED BATH VANITY



LED68304-SP-T24

Common Features

- 2700K CCT
 - 120V input
 - 50,000-hr LED life
 - 3-year warranty
- NOTE:** * Title 24 compliant & Dimmable



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED68304-SP-T24*	LED Bath Vanity	Satin Platinum	Satin White Glass	39 W	2,300 Lm	30"	5"	4.75"	6.5 lbs.

INTEGRATED LED WALL SCONCES



LED89802-BK



LED6871-SP



LED67801-SP-T24

Common Features

- 2700K CCT
 - 120V input
 - Dimmable
 - 50,000-hr LED life
 - 1-year warranty
- NOTE:** * Not ADA compliant
** Not T24 or ADA Compliant



Model #	Description	Finish	Shade	Wattage	Lumens	Width	Height	Extension	Weight
LED89802-BK**	LED Wall Sconce	Black	Clear Seedy Glass	21 W	900 Lm	14"	17"	6"	5.6 lbs.
LED6871-SP	LED Wall Sconce	Satin Platinum	Etched Opal Glass	13 W	800 Lm	4.5"	13.75"	4"	3.0 lbs.
LED67801-SP-T24*	LED Wall Sconce	Satin Platinum	Frosted Glass	14 W	650 Lm	4.5"	9.75"	6.5"	6.0 lbs.



LED15011A-34



LED15011A-35



LED6071-SP



LED6020A-AST



LED33711-BNB

Common Features

- 120V input
 - Dimmable
 - 50,000-hr LED life
 - 1-year warranty
- NOTE:** * Not ADA Compliant



Model #	Description	Finish	Shade/Accent	CCT	Wattage	Lumens	Width	Height	Ext.	Weight
LED15011A-34	LED Wall Sconce	Oil Rubbed Bronze	Frosted Glass	2700K	10 W	800 Lm	7"	10"	3.5"	2.6 lbs.
LED15011A-35	LED Wall Sconce	Satin Platinum	Frosted Glass	2700K	10 W	800 Lm	7"	10"	3.5"	2.6 lbs.
LED6071-SP	LED Wall Sconce	Satin Platinum	Frosted Glass	2700K	10 W	700 Lm	6.25"	10.5"	3.5"	3.9 lbs.
LED6020A-AST*	LED Wall Sconce	Assorted Caps	Frosted Glass	3000K	9 W	1,200 Lm	13.25"	6.5"	6.5"	3.0 lbs.
LED33711-BNB*	LED Wall Sconce	Burnished Bronze	Opal Glass	3000K	13 W	550 Lm	9.25"	13.25"	4.25"	5.0 lbs.

OUTDOOR LANTERNS

INTEGRATED LED OUTDOOR POST LANTERNS



LED31136A-ORB



LED22436-BNB



LED32826-BNB



LED32536-BNB

Common Features

- 120V input
- 3000K CCT
- 80+ CRI
- 3-year warranty
- 60,000-hr LED life



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Weight
LED31136A-ORB	LED Post Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	300 Lm	9"	18.25"	7.0 lbs.
LED22436-BNB	LED Post Lantern	Burnished Bronze	White Opal Glass	13 W	750 Lm	9"	15.5"	4.9 lbs.
LED32826-BNB	LED Post Lantern	Burnished Bronze	Clear Seedy Glass	11 W	650 Lm	9"	17"	4.0 lbs.
LED32536-BNB	LED Post Lantern	Burnished Bronze	Clear Ribbed Glass	13 W	800 Lm	9"	14.5"	13.1 lbs.

INTEGRATED LED OUTDOOR DARK SKY WALL LANTERNS



LED32611-BNB
LED32621-BNB



LED33001-SP



LED33001-ORB

Common Features

- 120V input
- 3000K CCT
- 80+ CRI
- 60,000-hr LED life
- 3-year warranty

NOTE: * Made from Cast Aluminum



Model #	Description	Finish	Diffuser	Wattage	Lumens	CRI	Width	Height	Extension	Weight
LED32611-BNB*	LED DS Wall Lantern	Burnished Bronze	N/A	10 W	325 Lm	70+	6"	15.5"	5"	3.7 lbs.
LED32621-BNB*	LED DS Wall Lantern	Burnished Bronze	N/A	10 W	400 Lm	70+	7"	18"	6"	5.0 lbs.
LED33001-SP	LED DS Wall Lantern	Satin Platinum	Etched Glass	7.5 W	500 Lm	70+	4.5"	6"	4.75"	5.0 lbs.
LED33001-ORB	LED DS Wall Lantern	Oil Rubbed Bronze	Etched Glass	7.5 W	500 Lm	70+	4.5"	6"	4.75"	5.0 lbs.

INTEGRATED LED OUTDOOR WALL LANTERNS



D248L-50W-MB
D248L-70W-MB



LED32531-BNB



LED32921-BBZ



LED31111A-ORB
LED31121A-ORB



LED22421-BNB



LED33431-ORB



LED32211-BK

Common Features

- 120V input
- 3000K CCT
- 80+ CRI
- 50,000-hr LED life
- 3-year warranty



Model #	Description	Finish	Shade / Accent	Wattage	Lumens	Width	Height	Extension	Weight
D248L-50W-MB	LED Wall Lantern	Matte Black	Etched White Glass	11 W	450 Lm	5.5"	12"	5"	1.5 lbs.
D248L-70W-MB	LED Wall Lantern	Matte Black	Etched White Glass	21 W	850 Lm	7"	17.5"	6"	4.3 lbs.
LED32531-BNB	LED Wall Lantern	Burnished Bronze	Clear Ribbed Glass	13 W	850 Lm	9"	11.5"	9.5"	13.2 lbs.
LED32921-BBZ	LED Wall Lantern	Burnished Bronze	Clear Crackle Glass	11 W	850 Lm	7"	17"	8.25"	9.0 lbs.
LED31111A-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	350 Lm	7"	13"	9.75"	3.9 lbs.
LED31121A-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Crackle Glass	6 W	350 Lm	9"	16.25"	11.75"	3.9 lbs.
LED22421-BNB	LED Wall Lantern	Burnished Bronze	White Opal Glass	13 W	650 Lm	7"	11.5"	8.75"	4.4 lbs.
LED33431-ORB	LED Wall Lantern	Oil Rubbed Bronze	Clear Seedy Glass	10 W	550 Lm	8.5"	12.75"	9.5"	7.0 lbs.
LED32211-BK	LED Wall Lantern	Black	Frosted & Clear Glass	5.5 W	424 Lm	5.5"	8.75"	7"	3.1 lbs.

INTEGRATED LED WRAPAROUNDS



WA1040D140

Features

- White housing
- 120V input
- Triac dimming
- 50,000-hr LED life
- 5-year warranty
- EM option available

Model #	Description	CRI	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WA1040D140	White Edge Lit Utility Wrap	80+	4000K	60 W	4,000 Lm	82 Lm/W	46"	4.2"	10"	7 lbs.



WA053530K



WA304BL301



WL11100DM40

Common Features

- White housing
- 120/277V input
- Dimmable
- 50,000-hr LED life
- 5-year warranty
- EM option available



Model #	Description	CRI	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WA053530K	48" x 5" Flush Mount Wrap 120V	90	3000K	40 W	3,500 Lm	90 Lm/W	48"	2.63"	5"	5 lbs.
WA304BL301	3' x 4" Semi-Flush Mount MV Wraparound	83	4000K	33 W	3,000 Lm	91 Lm/W	36"	2.5"	4"	8.8 lbs.
WL11100DM40	4' x 11" Flush Mount MV Wraparound	83	4000K	100 W	10,000 Lm	100 Lm/W	48"	1.65"	11.3"	8.8 lbs.

INTEGRATED LED MEDIUM STRIP LIGHTS



ST4LSWDMSC



ST8LSWDMSC



ST4LSWDMSCB



ST8LSWDMSCB

Common Features

- White or Black housing
- 120/277V input
- 80+ CRI
- 0-10V dimming
- 50,000-hr LED life
- 5-year warranty
- EM option available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST4LSWDMSC	4' LED Medium Strip Light Selectable Wattage and CCT	3500K	34 W	4,400 Lm	129 Lm/W	48"	3.5"	3.4"	4.5 lbs.
		4000K	38 W	5,000 Lm	132 Lm/W				
		5000K	45 W	5,900 Lm	131 Lm/W				
ST8LSWDMSC	8' LED Medium Strip Light Selectable Wattage and CCT	3500K	65 W	8,450 Lm	130 Lm/W	96"	3.5"	3.4"	9.9 lbs.
		4000K	75 W	9,750 Lm	130 Lm/W				
		5000K	90 W	11,700 Lm	130 Lm/W				
ST4LSWDMSCB	4' LED Medium Strip Light Selectable Wattage and CCT	3500K	34 W	4,400 Lm	129 Lm/W	48"	3.5"	3.4"	4.5 lbs.
		4000K	38 W	5,000 Lm	132 Lm/W				
		5000K	45 W	5,900 Lm	131 Lm/W				
ST8LSWDMSCB	8' LED Medium Strip Light Selectable Wattage and CCT	3500K	65 W	8,450 Lm	130 Lm/W	96"	3.5"	3.4"	9.9 lbs.
		4000K	75 W	9,750 Lm	130 Lm/W				
		5000K	90 W	11,700 Lm	130 Lm/W				

STRIP LIGHTS

INTEGRATED LED SLIM STRIP LIGHTS



ST4N48DMDxx



ST8N96DMD40
ST8N100DMD50

Common Features

- White housing
- 120/277V input
- 80+ CRI
- 0-10V dimming
- 50,000-hr LED life
- 5-year warranty
- EM option available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST4N50DMD40	4' LED Slim Strip Light	4000K	43 W	5,000 Lm	116 Lm/W	48"	2.75"	2"	5.6 lbs.
ST4N50DMD50	4' LED Slim Strip Light	5000K	43 W	5,000 Lm	116 Lm/W	48"	2.75"	2"	5.6 lbs.
ST8N96DMD40	8' LED Slim Strip Light	4000K	84 W	10,000 Lm	119 Lm/W	96"	2.75"	2"	11.0 lb.
ST8N100DMD50	8' LED Slim Strip Light	5000K	84 W	10,000 Lm	119 Lm/W	96"	2.75"	2"	11.0 lb.

LED T8 STRIP LIGHTS

LED T8 Lamps Included



ST702Txxxx



ST704Txxxx

Common Features

- White housing
- 120/277V input
- 80+ CRI
- 50,000-hr LED life
- 5-year warranty
- EM option available
- Only T8 tubes are DLC listed
- For use with Type B, Single end powered LED T8 tubes only



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
ST702T1840	4' Strip, 2 LED Lamps	4000K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST702T1850	4' Strip, 2 LED Lamps	5000K	28 W	3,600 Lm	129 Lm/W	48"	2.1"	4"	6.5 lbs.
ST704T1840	8' Strip, 4 LED Lamps	4000K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.
ST704T1850-K	8' Strip, 4 LED Lamps	5000K	56 W	7,200 Lm	129 Lm/W	96"	2.1"	4"	12.5 lbs.

INTEGRATED LED HONEYCOMB TROFFER PANEL



PHC24BL50

Features

- White housing
- 120/277V input
- 80+ CRI
- Sharp light cutoff angle
- 0-10V dimming
- 50,000-hr LED life
- 5-year warranty
- EM option available

Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
PHC24BL50	2' X 4' Honeycomb Panel	4000K	42 W	5,000 Lm	119 Lm/W	48"	1.75"	24"	7.6 lbs.

WHITE LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL30WD



TRS24BL50WD

Common Features

- White housing
- 120/277V input
- 80+ CRI
- 0-10V dimming
- Power factor 0.99
- 50,000-hr LED life
- 5-year warranty
- EM option available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
TRS22BL30WD	Shallow 2' x 2' White Lens Troffer	4000K	27 W	3,100 Lm	115 Lm/W	24"	1.75"	24"	11.0 lb.
TRS24BL50WD	Shallow 2' x 4' White Lens Troffer	4000K	43 W	5,100 Lm	119 Lm/W	48"	1.75"	24"	17.9 lbs.

PRISMATIC LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL20WD



TRS24BL40WD

Common Features

- White housing
- 120/277V input
- 80+ CRI
- 0-10V dimming
- Min ambient temp 0° C / 32° F
- Max ambient temp 40° C / 104° F
- Power factor 0.99
- 50,000-hr LED life
- 5-year warranty
- EM option available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
TRS22BL20PD	Shallow 2' x 2' White Lens Troffer	4000K	27 W	3,100 Lm	115 Lm/W	24"	1.75"	24"	11.0 lbs.
TRS24BL40PD	Shallow 2' x 4' White Lens Troffer	4000K	43 W	5,100 Lm	119 Lm/W	48"	1.75"	24"	17.9 lbs.

INTEGRATED LED ROUND GROW LIGHTS



GL11R150Mx

Common Features

- Black housing
 - 120° beam angle
 - 120/277V input
 - 0-10V dimming
 - 80+ CRI
 - 120V power cord included
 - 50,000-hr LED life
 - 5 year warranty
- NOTE:** * = DLC listed



Model #	Description	CCT	Wattage	Lumens	Efficacy	Diameter	Height	Weight
GL11R150M	11" Round Vegetative Grow Light	3250K	150 W	24,000 Lm	160 Lm/W	11"	2"	6.0 lbs.
GL11R150MH*	11" Round Horticultural Grow Light	3325K	150 W	24,300 Lm	162 Lm/W	11"	2"	6.0 lbs.

INTEGRATED LED ROUND HIGH BAYS High Efficiency - Utility Rebate Eligible



HBRxxDMDP50



Alternate view

Common Features

- Black housing
- Lenses available
- 120/277V input
- 50,000-hr LED life
- 80+ CRI
- 5 year warranty

Model #	Description	CCT	Wattage	Lumens	Efficacy	Diameter	Height	Weight
HBR14DMDP50	9" Round High Bay	5000K	80 W	14,400 Lm	180 Lm/W	9"	2"	4.4 lbs.
HBR22DMDP50	11" Round High Bay	5000K	120 W	21,600 Lm	180 Lm/W	11"	2"	6.0 lbs.
HBR27DMDP50	11" Round High Bay	5000K	150 W	27,000 Lm	180 Lm/W	11"	2"	6.0 lbs.
HBR36DMDP50	11" Round High Bay	5000K	200 W	36,000 Lm	180 Lm/W	11"	2"	6.0 lbs.

INTEGRATED LED BACKLIT HIGH BAYS



HB2B13DMP50



HB2B19DMP50



HB4B28DMP50

Common Features

- White housing
- 120/277V input
- 80+ CRI
- Power factor 0.99
- THD <20%
- Dimmable
- 50,000-hr LED life
- 5 year warranty
- EM option available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HB2B13DMP50	2' LED High Bay Backlit Fixture	5000K	91 W	12,800 Lm	141 Lm/W	24.75"	1.75"	11"	8.6 lbs.
HB2B19DMP50	2' LED High Bay Backlit Fixture	5000K	146 W	20,000 Lm	137 Lm/W	24.75"	1.75"	11"	8.6 lbs.
HB4B28DMP50	4' LED High Bay Backlit Fixture	5000K	205 W	28,200 Lm	138 Lm/W	49.9"	3.67"	12.6"	16.8 lbs.

LED T8 HIGH BAYS

Housings - LED T8 Lamps Optional



HBA6Txxxx

Common Features

- White housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- THD <20%
- Only T8 tubes are DLC listed
- 50,000-hr LED life
- 5-year warranty
- EM option available



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
HBA6T1840	High Bay, 6 LED T8 Lamps	4000K	85 W	10,800 Lm	127 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.
HBA6T1850-K	High Bay, 6 LED T8 Lamps	5000K	84 W	10,800 Lm	128 Lm/W	48.25"	2.9"	16.8"	17.5 lbs.

Accessories



Model #	Description	CCT	Wattage	Lumens
902-454-ES-1	4' replacement LED T8 Bulb	4000K	14 W	1,800 Lm
906-247-ES-1	4' replacement LED T8 Bulb	5000K	14 W	1,800 Lm

INTEGRATED LED SECURITY FLOOD LIGHTS



FL2016N40-06



FL2016N40-48

Common Features

- Available finishes: White (06) or Bronze (48)
- 120V input
- Min starting temp 0° C / 32° F
- 80+ CRI
- 50,000-hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
FL2016N40-06	LED Security Flood Light	4000K	20 W	1,800 Lm	90 Lm/W	7"	7"	4.75"	2.2 lbs.
FL2016N40-48	LED Security Flood Light	4000K	20 W	1,800 Lm	90 Lm/W	7"	7"	4.75"	2.2 lbs.

INTEGRATED LED WALL PACKS



WP3xxV50-48

Common Features


- Corrosion-resistant bronze powder coating
- Borosilicate glass prismatic shade
- 120/277V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- 80+ CRI
- 6KV surge protection
- 50,000-hr LED life
- 5-year warranty



Model #	Description	BUG Rating	Dimming	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
WP30PV50-48	LED Wall Pack	B1-U3-G3	0-10V	5000K	30 W	4,000 Lm	133 Lm/W	14.1"	9.2"	9"	8.4 lbs.
WP3BPV50-48	LED Wall Pack	B1-U3-G4	0-10V	5000K	45 W	6,200 Lm	138 Lm/W	14.1"	9.2"	9"	9.2 lbs.
WP3EPV50-48	LED Wall Pack	B2-U4-G3	0-10V	5000K	67 W	9,200 Lm	137 Lm/W	14.1"	9.2"	9"	9.8 lbs.

LED T8 SHOP LIGHTS

Power Cord and Plug Included. LED T8 Lamps Optional.



Common Features

- White housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- Min ambient temp -20°C / -4°F
- Max ambient temp 40°C / 104°F
- THD <20%
- Only T8 tubes are DLC listed
- 50,000-hr LED life
- 5-year warranty



Model #	Description	CCT	Wattage	Lumens	Efficacy	Width	Height	Depth	Weight
SL602T1840	2 Lamp, 4' Shop Light	4000K	28 W	3,600 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.
SL602T1850-K	2 Lamp, 4' Shop Light	5000K	28 W	3,600 Lm	126 Lm/W	48"	2.5"	6"	4.6 lbs.

Accessories



Model #	Description	CCT	Wattage	Lumens
902-454-ES-1	4' replacement LED T8 Bulb	4000K	14 W	1,800 Lm
906-247-ES-1	4' replacement LED T8 Bulb	5000K	14 W	1,800 Lm

VAPOR TIGHT / BARN LIGHT



GL14R30130



AS1AD40-27

Common Features

- Power factor 0.99
- THD <20%
- 5-year warranty



Model #	Description	Voltage	CCT	Wattage	Lumens	Efficacy	CRI	Width	Height	Depth	Weight
GL14R30130	Integrated LED Vapor Tight	120/227V	3000K	22 W	3,000 Lm	136 Lm/W	80	14"	4"	14"	4.0 lbs.
AS1AD40-27	Integrated LED Barn Light	120V	4000K	31 W	5,000 Lm	161 Lm/W	70	7.6"	4.85"	11.7"	6.0 lbs.

INDEX

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
1049TFD3H-35	21	EV1588C3-338	18	EV61093K50WH	6	EVL61092T50BK	11
1541N3MV-35	24	EV1589C3-43	18	EV61093RK50BK	7	EVL61092T50BZ	11
1542N3MV-35	24	EV1595C5-06	15	EV61093RK50BZ	7	EVL61092T50WH	11
1543N3MV-35	24	EV1595C5-43	15	EV61093RK50WH	7	EVL61093T50BK	12
1544N3MV-06	24	EV1595C5-48	15	EV610FGRK50BK	9	EVL61093T50BZ	12
1545N3MV-06	24	EV1597C5-35	16	EV610FGRK50BZ	9	EVL61093T50WH	12
1546N3MV-06	24	EV1597C5-43	16	EV610FGRK50WH	9	EVL61433DK50WH	12
3200LEDC-35	20	EV1598C5-35	16	EV61518MVK33WH	8	EVL6733DK50BN	12
3200LEDC-43	20	EV1598C5-43	16	EV685RWK50WH	5	EVL6733DK50WH	12
902-454-ES-1	33	EV26081WH30	6	EV685RWMVWH50	5	EVL6733DWH27	12
902-454-ES-1	35	EV26081WH40	6	EV685SWK50WH	5	EVL69093DK50WH	12
906-247-ES-1	33	EV30693RK50BK	7	EV685SWMVWH50	5	EVMP6HBMJ2W-I	6
906-247-ES-1	35	EV30693RK50BZ	7	EV814RWMVWH50	5	EVMPHB346	13
AS1AD40-27	35	EV30693RK50WH	7	EV814SWMVK50WH	5	EVR2000LB	13
D248L-5OW-MB	27	EV306FGRK50BK	9	EV814SWMVWH50	5	EVR2000LR	13
D248L-7OW-MB	27	EV306FGRK50BZ	9	EV82022MVK33WH	8	EVR6LICATB	13
DRF6WHWH9105C	6	EV306FGRK50WH	9	EVDK690DWH27	15	EVR6LICRAT	13
EV1011C5C-06	21	EV3160C3A-35	18	EVDK690DWH30	15	EVR6SLICATB-N	13
EV1011SC5C-06	21	EV3160C3A-43	18	EVDK690DWH40	15	EVR6SLICRAT-N	13
EV1014C5C-06	21	EV3162C3A-35	18	EVDK710K50BK	15	EVRH2000BB	14
EV1014SC5C-06	21	EV3162C3A-43	18	EVDK710AK50WH	15	EVRH2000R	14
EV103032MVK33WH	8	EV3163C3B-43	18	EVDK918K50WH	15	EVRH5000SICATB	14
EV1410C3C-34	17	EV35062RFGWH40	10	EVDKMS710K50WH	15	EVRH7ICATB	14
EV1410C3C-35	17	EV36081WH30	6	EVDSK46010CWH30	15	EVRH7ICRAT	14
EV1410C3C-43	17	EV36081WH40	6	EVDSK46010CWH40	15	EVRT201LWH	14
EV1412C3C-34	17	EV36082WH30	10	EVDSK81825CWH27	15	EVRT205WH	14
EV1412C3C-35	17	EV36082WH40	10	EVDSK81825CWH40	15	EVRT432G2WH	14
EV1412C3C-43	17	EV40893RK50BK	7	EVFR40890RK50WH	4	EVRT601WH	14
EV1414C3C-34	17	EV40893RK50BZ	7	EVFR40893RK50WH	4	EVRT603WH	14
EV1414C3C-35	17	EV40893RK50WH	7	EVFR61190RK50WH	4	EVRT610MBWH	14
EV1414C3C-43	17	EV408FGRK50BK	9	EVFR61193RK50WH	4	EVRT610MWWH	14
EV1416C3C-34	17	EV408FGRK50BZ	9	EVL40892T50BK	11	EVRT610WH	14
EV1416C3C-35	17	EV408FGRK50WH	9	EVL40892T50BZ	11	EVRT634WH	14
EV1416C3C-43	17	EV457RWK50WH	5	EVL40892T50WH	11	EVRT635WH	14
EV1424C3C-35	20	EV457SWK50WH	5	EVL40893T50BK	12	EVT101227B-35	22
EV1424C3C-43	20	EV480102RFGWH30	10	EVL40893T50BZ	12	EVT101727B-35	22
EV1517L4-151	20	EV480102RFGWH40	10	EVL40893T50WH	12	EVT102027B-35	22
EV1558C3-43	18	EV490111WH30	6	EVL4733CWH27	12	EVT1030D3A-05	23
EV1572C3-342	19	EV490111WH40	6	EVL4733CWH30	12	EVT1030D3A-06	23
EV1573C3-342	19	EV490112WH30	10	EVL4733CWH35	12	EVT1031D3A-05	23
EV1583C3-43	19	EV490112WH40	10	EVL4733CWH40	12	EVT1031D3A-06	23
EV1584C3-338	19	EV61093K50BK	6	EVL4733CWH50	12	EVT1032D3-05	23
EV1586C5-43	18	EV61093K50BZ	6	EVL61091T50WH	12	EVT1032D3A-06	23

ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE	ITEM #	PAGE
EVT1042D3A-05	23	HBR14DMDP50	32	LED32531-BNB	27	ST4LSWDMDSB	29
EVT1042D3A-06	23	HBR22DMDP50	32	LED32536-BNB	26	ST4N50DMD40	30
EVT41052D3-35	22	HBR27DMDP50	32	LED32611-BNB	26	ST4N50DMD50	30
EVT41052D3-43	22	HBR36DMDP50	32	LED32621-BNB	26	ST702T1840	30
EVT61047D3-05	22	LED15011A-34	25	LED32826-BNB	26	ST702T1850	30
FL2016N40-06	34	LED15011A-35	25	LED32921-BBZ	27	ST704T1840	30
FL2016N40-48	34	LED1552RGB-BN	17	LED33001-ORB	26	ST704T1850-K	30
FP-GLT52B30-BN	2	LED1553RGB-BN	17	LED33001-SP	26	ST8LSWDMDSB	29
FP-GLT52B30-MB	2	LED1554RGB-BN	17	LED33431-ORB	27	ST8LSWDMDSB	29
FP-GLT52B30-MW	2	LED1555RGB-WH	17	LED33711-BNB	25	ST8N96DMD40	30
FP-STL52B30-BN	3	LED1590L3-BK	16	LED6020A-AST	25	ST8N100DMD50	30
FP-STL52B30-MB	3	LED1590L3-WH	16	LED6071-SP	25	TRS22BL20PD	31
FP-STL52B30-MW	3	LED1591L3-BK	16	LED67801-SP-T24	25	TRS22BL30WD	31
GL11R150M	32	LED1591L3-WH	16	LED68304-SP-T24	24	TRS24BL40PD	31
GL11R150MH	32	LED1592L3-BK	16	LED6871-SP	25	TRS24BL50WD	31
GL14R30130	35	LED1592L3-WH	16	LED89802-BK	25	WA053530K	28
GRING06	35	LED1593L3-BK	16	PFRAMEGRID	8	WA1040D140	28
GRING08	8	LED1593L3-WH	16	PFRAMEJOIST	8	WA304BL301	28
GRING10	8	LED22421-BNB	27	PHC24BL50	31	WL11100DM40	28
HB2B13DMP50	33	LED22436-BNB	26	RB6WHWH8102C	12	WP30PV50-48	34
HB2B19DMP50	33	LED31111A-ORB	27	RC7WHWH8102C	15	WP3BPV50-48	34
HB4B28DMDP50	33	LED31121A-ORB	27	SL602T1840	35	WP3EPV50-48	34
HBA6T1840	33	LED31136A-ORB	26	SL602T1850-K	35		
HBA6T1850-K	33	LED32211-BK	27	ST4LSWDMDSB	29		



PRODUCT CATALOG - DFPRO2024R2
JUNE 2024

© Designers Fountain 2024. All Rights Reserved.

20101 South Santa Fe Avenue
Rancho Dominguez, CA 90221

designersfountain.com
800.228.6197