


# DF [ PROFESSIONAL LIGHTING™



2023 Product Catalog: June Update





## DF PROFESSIONAL LIGHTING™

### DISCLAIMERS

- Designers Fountain reserves the right to make product changes without prior notice.
- Product specifications in this catalog are approximate and based on the most current information available at the time of publication.
- Finishes may vary due to multiple chemical processes.
- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum recommended; however, lower wattages may be used.
- Larger, heavier fixtures may require additional support and reinforced outlet boxes.
- Some finishes, especially outdoor fixtures, are subject to change slightly due to prolonged exposure to the sun or extreme weather conditions.
- Designers Fountain products are subject to revision to comply with changes in UL, CSA or the National Electrical Code.

All products are either UL or ETL certified where applicable



## TABLE OF CONTENTS

### RECESSED

|                              |     |
|------------------------------|-----|
| LED Slim Panel Downlights    | 2   |
| LED Baffle Kits              | 3   |
| LED Commercial Downlights    | 4   |
| LED Can Free Trim            | 5   |
| LED Retrofit Trim            | 5-7 |
| LED Housing                  | 7   |
| Incandescent Housing & Trims | 8   |

### SURFACE MOUNTS

|                                     |       |
|-------------------------------------|-------|
| LED Surface Mount/Recessed Retrofit | 9     |
| LED Disk Lights & Trim              | 9-10  |
| LED Flush Mounts                    | 11-15 |
| LED Puff Flush Mounts               | 15    |
| LED Track Lighting                  | 16-17 |

### BATH LIGHTING 18

### WALL SCONCES 19

### OUTDOOR

|                   |       |
|-------------------|-------|
| LED Post Lanterns | 20    |
| LED Wall Lanterns | 20-21 |

### WRAPAROUNDS 22-23

### STRIP LIGHTS 24-25

### TROFFERS 26-27

### HIGH BAYS 28-29

### SECURITY / FLOOD LIGHTS 30

### OTHER LED

|                     |    |
|---------------------|----|
| Shop Lights         | 31 |
| Waterproof Fixtures | 31 |

### INDEX 32-33



## LEGEND

ADA COMPLIANT



AIRTIGHT



CAST ALUMINUM



DAMP LOCATION



DARK SKY



DLC CERTIFIED



ENERGY STAR RATED



INTERNET OF THINGS



MOUNT UP OR DOWN



TITLE 20 COMPLIANT



TITLE 24 COMPLIANT



WET LOCATION





INTEGRATED LED SLIM PANEL DOWNLIGHTS (WAFERS)




EV457Rxx50WH  
EV685Rxx50WH  
EV814RWMVWH50



EV457Sxx50WH  
EV685Sxx50WH  
EV814SWMVWH50  
EV814SWMVK50WH



DRF6WHWH9105C



EVMP6HBMJ2W-I

Common Features

- \*Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White housing
- White lens
- 90+ CRI
- IC rated
- 50,000 hr LED life
- 5-year warranty



| Model #                                      | Description                         | CCT        | Wattage | Lumens   | Efficacy | Width  | Height | Weight    |
|----------------------------------------------|-------------------------------------|------------|---------|----------|----------|--------|--------|-----------|
| 120V and Triac Dimming                       |                                     |            |         |          |          |        |        |           |
| EV457RWK50WH                                 | 4" Round 5CCT Slim Panel Downlight  | See Above* | 9.5 W   | 600 Lm   | 63 Lm/W  | 4.75"  | 0.41"  | 0.8 lbs.  |
| EV457SWK50WH                                 | 4" Square 5CCT Slim Panel Downlight | See Above* | 9.5 W   | 600 Lm   | 63 Lm/W  | 4.75"  | 0.41"  | 0.9 lbs.  |
| EV685RWK50WH                                 | 6" Round 5CCT Slim Panel Downlight  | See Above* | 12.5 W  | 850 Lm   | 68 Lm/W  | 6.85"  | 0.41"  | 1.1 lbs.  |
| EV685SWK50WH                                 | 6" Square 5CCT Slim Panel Downlight | See Above* | 12.5 W  | 850 Lm   | 68 Lm/W  | 6.85"  | 0.41"  | 1.2 lbs.  |
| DRF6WHWH9105C                                | 6" Round 5CCT Wafer Downlight       | See Above* | 12 W    | 1000 Lm  | 83 Lm/W  | 7.25"  | 2.36"  | 1.2 lbs.  |
| EVMP6HBMJ2W-I                                | 6" New Construction Plaster Frame   | —          | —       | —        | —        | 14.88" | 4.25"  | 1.46 lbs. |
| Universal Voltage 120-277V and 0-10V Dimming |                                     |            |         |          |          |        |        |           |
| EV814SWMVK50WH                               | 8" Square 5CCT Slim Panel Downlight | See Above* | 18 W    | 1,400 Lm | 79 Lm/W  | 8.85"  | 0.41"  | 1.7 lbs.  |
| EV685RWMVWH50                                | 6" Round Slim Panel Downlight       | 5000K      | 12.5 W  | 850 Lm   | 68 Lm/W  | 6.85"  | 0.41"  | 1.1 lbs.  |
| EV685SWMVWH50                                | 6" Square Slim Panel Downlight      | 5000K      | 12.5 W  | 850 Lm   | 68 Lm/W  | 6.85"  | 0.41"  | 1.2 lbs.  |
| EV814RWMVWH50                                | 8" Round Slim Panel Downlight       | 5000K      | 18 W    | 1,500 Lm | 83 Lm/W  | 8.85"  | 0.41"  | 1.7 lbs.  |
| EV814SWMVWH50                                | 8" Square Slim Panel Downlight      | 5000K      | 18 W    | 1,500 Lm | 83 Lm/W  | 8.85"  | 0.41"  | 1.7 lbs.  |



INTEGRATED LED BAFFLE KITS




EV26081WHxx



EV36081WHxx



EV490111WHxx



EVMPHB346

Common Features

- White housing
  - White lens
  - 120V input
- 90+ CRI
  - IC rated
  - 50,000 hr LED life
- 5-year warranty



| Model #      | Description                                                           | CCT   | Wattage | Lumens | Efficacy | Width  | Height | Weight   |
|--------------|-----------------------------------------------------------------------|-------|---------|--------|----------|--------|--------|----------|
| EV26081WH30  | 2" Integrated LED Can Free Remodel Baffle Kit                         | 3000K | 8 W     | 550 Lm | 69 Lm/W  | 2.5"   | 2.5"   | 0.9 lbs. |
| EV26081WH40  | 2" Integrated LED Can Free Remodel Baffle Kit                         | 4000K | 8 W     | 550 Lm | 69 Lm/W  | 2.5"   | 2.5"   | 0.9 lbs. |
| EV36081WH30  | 3" Integrated LED Can Free Remodel Baffle Kit                         | 3000K | 8 W     | 600 Lm | 75 Lm/W  | 4"     | 2.5"   | 0.9 lbs. |
| EV36081WH40  | 3" Integrated LED Can Free Remodel Baffle Kit                         | 4000K | 8 W     | 600 Lm | 75 Lm/W  | 4"     | 2.5"   | 0.9 lbs. |
| EV490111WH30 | 4" Integrated LED Can Free Remodel Baffle Kit                         | 3000K | 11 W    | 900 Lm | 82 Lm/W  | 4"     | 2.3"   | 0.9 lbs. |
| EV490111WH40 | 4" Integrated LED Can Free Remodel Baffle Kit                         | 4000K | 11 W    | 900 Lm | 82 Lm/W  | 4"     | 2.3"   | 0.9 lbs. |
| EVMPHB346    | Universal New Construction Frame for 3", 4", & 6" Can-Free Downlights | N/A   | N/A     | N/A    | N/A      | 14.25" | 1.88"  | 1.2 lbs. |

INTEGRATED LED COMMERCIAL DOWNLIGHTS



EV61518MVK33WH  
EV82022MVK33WH  
EV103032MVK33WH


Common Features

- Selectable CCT: 3000K, 3500K, 4000K
  - White acrylic lens
  - White finish
- 90+ CRI
  - 120V input
  - 0-10V Dimming
- IC rated
  - 50,000 hr LED life
  - 5-year warranty



| Model #         | Description              | Wattage    | Lumens            | CCT       | Width  | Height | Weight   |
|-----------------|--------------------------|------------|-------------------|-----------|--------|--------|----------|
| EV61518MVK33WH  | 6" Commercial Downlight  | 7/10/18W   | 700/1000/1500 Lm  | See Above | 8.26"  | 5.23"  | 1.4 lbs. |
| EV82022MVK33WH  | 8" Commercial Downlight  | 10/15/22 W | 1000/1500/2000 Lm | See Above | 10.23" | 5.87"  | 1.8 lbs. |
| EV103032MVK33WH | 10" Commercial Downlight | 20/25/32 W | 2000/2500/3000 Lm | See Above | 11.5"  | 6.38"  | 2.6 lbs. |

Accessories



| Model # | Description   | Diameter Outer/Inner | Max Ceiling Cutout |
|---------|---------------|----------------------|--------------------|
| GRING06 | 6" Goof Ring  | 8.9" / 6.31"         | 8"                 |
| GRING08 | 8" Goof Ring  | 12.5" / 8.5"         | 10.9375"           |
| GRING10 | 10" Goof Ring | 14.2" / 8.9"         | 12.375"            |

| Model #     | Description            | Width  | Height |
|-------------|------------------------|--------|--------|
| PFRAMEGRID  | Universal T-Grid Frame | 23.75" | 11.9"  |
| PFRAMEJOIST | Universal Joist Frame  | 19.7"  | 12"    |



## INTEGRATED LED CAN FREE TRIM W/REMOTE J-BOX



EV35062RFGWHxx



EV480102RFGWHxx



EV36082WHxx



EV490112WHxx



EV23552WHxx

### Common Features

- White housing
- White lens
- 120V input
- 90+ CRI
- IC rated
- 50,000 hr LED life
- 5-year warranty



| Model #         | Description            | CCT   | Wattage | Lumens | Beam Angle | Width  | Height | Driver Width | Driver Height | Driver Depth | Ceiling Cutout |
|-----------------|------------------------|-------|---------|--------|------------|--------|--------|--------------|---------------|--------------|----------------|
| EV23552WH30     | 2" LED Floating Gimbal | 3000K | 5 W     | 350 Lm | 40°        | 2.5"   | 1.625" | 2"           | 1.75"         | 2.75"        | 2.125"         |
| EV23552WH40     | 2" LED Floating Gimbal | 4000K | 5 W     | 350 Lm | 40°        | 2.5"   | 1.625" | 2"           | 1.75"         | 2.75"        | 2.125"         |
| EV35062RFGWH30  | 3" LED Floating Gimbal | 3000K | 6 W     | 450 Lm | 36°        | 4.25"  | 1.25"  | 3.375"       | 1.375"        | 3.375"       | 3.5"           |
| EV35062RFGWH40  | 3" LED Floating Gimbal | 4000K | 6 W     | 450 Lm | 36°        | 4.25"  | 1.25"  | 3.375"       | 1.375"        | 3.375"       | 3.5"           |
| EV36082WH30     | 3" LED Floating Gimbal | 3000K | 8 W     | 600 Lm | 36°        | 3"     | 2.3"   | 3.375"       | 1.375"        | 3.375"       | 3.5"           |
| EV36082WH40     | 3" LED Floating Gimbal | 4000K | 8 W     | 600 Lm | 36°        | 3"     | 2.3"   | 3.375"       | 1.375"        | 3.375"       | 3.5"           |
| EV480102RFGWH30 | 4" LED Floating Gimbal | 3000K | 9 W     | 600 Lm | 30°        | 4.875" | 1.375" | 3.375"       | 1.375"        | 3.5"         | 4.125"         |
| EV480102RFGWH40 | 4" LED Floating Gimbal | 4000K | 9 W     | 600 Lm | 30°        | 4.875" | 1.375" | 3.375"       | 1.375"        | 3.5"         | 4.125"         |
| EV490112WH30    | 4" LED Floating Gimbal | 3000K | 12 W    | 900 Lm | 30°        | 4"     | 2.3"   | 3.375"       | 1.375"        | 3.5"         | 4.125"         |
| EV490112WH40    | 4" LED Floating Gimbal | 4000K | 12 W    | 900 Lm | 30°        | 4"     | 2.3"   | 3.375"       | 1.375"        | 3.5"         | 4.125"         |

## INTEGRATED LED RETROFIT TRIM

### 6" and 4" LED Gimbal Trim



EVL4742BWHxx



EVL6742BWHxx

### Common Features

- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



| Model #      | Description                     | CCT   | Wattage | Lumens | Efficacy | Width | Height | Weight   |
|--------------|---------------------------------|-------|---------|--------|----------|-------|--------|----------|
| EVL4742BWH30 | 4" LED Gimbal Trim - White Trim | 3000K | 9 W     | 600 Lm | 67 Lm/W  | 5"    | 2.8"   | 0.8 lbs. |
| EVL4742BWH40 | 4" LED Gimbal Trim - White Trim | 4000K | 9 W     | 650 Lm | 72 Lm/W  | 5"    | 2.8"   | 0.8 lbs. |
| EVL6742BWH30 | 6" LED Gimbal Trim - White Trim | 3000K | 12.5 W  | 800 Lm | 64 Lm/W  | 7.5"  | 2.8"   | 0.8 lbs. |
| EVL6742BWH40 | 6" LED Gimbal Trim - White Trim | 4000K | 12.5 W  | 850 Lm | 68 Lm/W  | 7.5"  | 2.8"   | 0.8 lbs. |

## INTEGRATED LED RETROFIT TRIM



EVL4733CWHxx



EVL6733CWH27




EVL6733DWHxx  
EVL6733DK50WH  
EVL69093DK50WH  
EVL61433DK50WH



EVL6733DK50BZ  
EVL69093DK50BZ  
EVL61433DK50BZ



EVL6733DK50BK  
EVL69093DK50BK  
EVL61433DK50BK



EVL6733DK50BK

### Common Features

- \*5 CCT Models: 2700K, 3000K, 3500K, and 4000K, 5000K
- White lens
- 120V input
- 90+ CRI
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



| Model #        | Description                  | CCT        | Wattage | Lumens  | Efficacy | Width | Height | Weight   |
|----------------|------------------------------|------------|---------|---------|----------|-------|--------|----------|
| EVL4733CWH27   | 4" Deep Baffle - White Trim  | 2700K      | 7 W     | 600 Lm  | 86 Lm/W  | 5"    | 2.75"  | 0.8 lbs. |
| EVL4733CWH30   | 4" Deep Baffle - White Trim  | 3000K      | 7 W     | 600 Lm  | 86 Lm/W  | 5"    | 2.75"  | 0.8 lbs. |
| EVL4733CWH35   | 4" Deep Baffle - White Trim  | 3500K      | 7 W     | 600 Lm  | 86 Lm/W  | 5"    | 2.75"  | 0.8 lbs. |
| EVL4733CWH40   | 4" Deep Baffle - White Trim  | 4000K      | 7 W     | 600 Lm  | 86 Lm/W  | 5"    | 2.75"  | 0.8 lbs. |
| EVL4733CWH50   | 4" Deep Baffle - White Trim  | 5000K      | 7 W     | 600 Lm  | 86 Lm/W  | 5"    | 2.75"  | 0.8 lbs. |
| EVL6733CWH27   | 6" Deep Baffle - White Trim  | 2700K      | 8.5 W   | 700 Lm  | 82 Lm/W  | 7.5"  | 2.75"  | 0.8 lbs. |
| EVL6733DWH27   | 6" Baffle - White Trim       | 2700K      | 8 W     | 740 Lm  | 92 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL6733DWH30   | 6" Baffle - White Trim       | 3000K      | 8 W     | 740 Lm  | 92 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL6733DK50WH  | 6" 5CCT Baffle - White Trim  | See Above* | 8 W     | 740 Lm  | 92 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL6733DK50BN  | 6" 5CCT Baffle - Nickel Trim | See Above* | 8 W     | 740 Lm  | 92 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL6733DK50BZ  | 6" 5CCT Baffle - Bronze Trim | See Above* | 8 W     | 740 Lm  | 92 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL6733DK50BK  | 6" 5CCT Baffle - Black Trim  | See Above* | 8 W     | 740 Lm  | 92 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL69093DK50WH | 6" 5CCT Baffle - White Trim  | See Above* | 11 W    | 1000 Lm | 91 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL69093DK50BZ | 6" 5CCT Baffle - Bronze Trim | See Above* | 11 W    | 1000 Lm | 91 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL69093DK50BK | 6" 5CCT Baffle - Black Trim  | See Above* | 11 W    | 1000 Lm | 91 Lm/W  | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL61433DK50WH | 6" 5CCT Baffle - White Trim  | See Above* | 14 W    | 1400 Lm | 100 Lm/W | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL61433DK50BZ | 6" 5CCT Baffle - Bronze Trim | See Above* | 14 W    | 1400 Lm | 100 Lm/W | 7.5"  | 2.00"  | 0.4 lbs. |
| EVL61433DK50BK | 6" 5CCT Baffle - Black Trim  | See Above* | 14 W    | 1400 Lm | 100 Lm/W | 7.5"  | 2.00"  | 0.4 lbs. |

## INTEGRATED LED RETROFIT TRIM



EVL61093T50WH



EVL61091T50WH



RB6WHWH8102C

### Common Features

- \*5 CCT Models: 2700K, 3000K, 3500K, 4000K, 5000K
- White lens

- 120V input
- Dimmable
- IC rated

- 50,000 hr LED life
- 5-year warranty


NOTE: \*\*Not T20/T24 compliant



| Model #        | Description                 | CCT         | Wattage | Lumens  | Efficacy | CRI | Width | Height | Weight   |
|----------------|-----------------------------|-------------|---------|---------|----------|-----|-------|--------|----------|
| EVL61093T50WH  | 6" 5CCT Baffle – White Trim | See Above*  | 12 W    | 1000 Lm | 83Lm/W   | 90+ | 7.36" | 2.36"  | 0.4 lbs. |
| EVL61091T50WH  | 6" 5CCT Smooth – White Trim | See Above*  | 12 W    | 1000 Lm | 83Lm/W   | 90+ | 7.36" | 2.36"  | 0.4 lbs. |
| RB6WHWH8102C** | 6" 2CCT Baffle – White Trim | 3000K/4000K | 11 W    | 1050 Lm | 95Lm/W   | 80+ | 7.30" | 2.10"  | 0.4 lbs. |

## LED DEDICATED HOUSING

### 4" & 6" LED Housing



EVR6SLICATB-N



EVR6LICATB



EVR6LICRAT



EVR6SLICRAT-N



EVR2000LA



EVR2000LR

### Common Features

- 120V input
- IC rated
- 1-year warranty
- Suitable for 10AWG copper plated aluminum wire



| Model #       | Description                                                     | Width | Height |
|---------------|-----------------------------------------------------------------|-------|--------|
| EVR6SLICATB-N | 6" Recessed LED Housing, New Construction, Shallow, 10 AWG Wire | 14"   | 5.5"   |
| EVR6LICATB    | 6" Recessed LED Housing, New Construction                       | 14"   | 7.5"   |
| EVR6LICRAT    | 6" Recessed LED Housing, Remodel                                | 11"   | 7.5"   |
| EVR6SLICRAT-N | 6" Recessed LED Housing, Remodel, Shallow, 10 AWG Wire          | 11"   | 5.5"   |
| EVR2000LA     | 4" Recessed LED Housing, New Construction                       | 14"   | 5.5"   |
| EVR2000LR     | 4" Recessed LED Housing, Remodel                                | 8.5"  | 5.5"   |



INCANDESCENT DEDICATED HOUSING  
4" & 6" Incandescent Housing



Common Features

- 120V input
- 1-year warranty
- IC rated
- Airtight

| Model #       | Description                                    | Width | Height |
|---------------|------------------------------------------------|-------|--------|
| EVRH5000SICAT | 6" Recessed Housing, New Construction, Shallow | 14"   | 5.5"   |
| EVRH71CATB    | 6" Recessed Housing, New Construction          | 14"   | 7.5"   |
| EVRH71CRAT    | 6" Recessed Housing, Remodel                   | 11"   | 7.5"   |
| EVRH2000BB    | 4" Recessed Housing, New Construction          | 14"   | 5.5"   |
| EVRH2000R     | 4" Recessed Housing, Remodel                   | 8.5"  | 5.5"   |

INCANDESCENT TRIMS



| Model #     | Description                       | Trim Finish | Width | Height |
|-------------|-----------------------------------|-------------|-------|--------|
| EVRT601WH   | 6" Open Trim                      | White       | 8"    | 0.5"   |
| EVRT635WH   | 6" Airtight Baffle Trim           | White       | 7.25" | 5"     |
| EVRT634WH   | 6" Baffle Trim - Phenolic Plastic | White       | 7.25" | 3"     |
| EVRT610WH   | 6" Baffle Trim - Phenolic Plastic | Black       | 7.25" | 3"     |
| EVRT610MBWH | 6" Baffle Trim - Metal            | Black       | 7.25" | 3"     |
| EVRT603WH   | 6" Eyeball Trim                   | White       | 7.7"  | 4"     |
| EVRT201LWH  | 4" Baffle Trim                    | White       | 5.1"  | 2.5"   |
| EVRT205WH   | 4" Eyeball Trim                   | White       | 5"    | 3"     |
| EVRT432G2WH | 4" Shower Trim                    | White       | 5"    | 2.5"   |

## SURFACE MOUNT / RECESSED RETROFIT



RC7WHWH8102C

## Features

- White acrylic lens
- White finish
- 80+ CRI
- 120V input
- Dimmable
- IC rated
- Tension springs and E26 adapter included
- 50,000 hr LED life
- 5-year warranty



| Model #      | Description   | Wattage | Lumens   | CCT         | Width | Height | Weight   |
|--------------|---------------|---------|----------|-------------|-------|--------|----------|
| RC7WHWH8102C | 7" Disk Light | 12 W    | 1,000 Lm | 3000K/4000K | 7.3"  | 0.98"  | 0.4 lbs. |

## INTEGRATED LED DISK LIGHT



EVDSK46010CWHxx  
EVDSK69015CWHxx  
EVDSK81825CWHxx



EVDK690DWHxx



EVDK690DBZ30



EVDK690DBK30

## Common Features

- White acrylic lens
- White (WH), Bronze (BZ), and Black (BK) finishes
- 90+ CRI
- 120V input
- Dimmable
- IC rated
- 50,000 hr LED life
- 5-year warranty



| Model #         | Description   | Wattage | Lumens   | CCT   | Width | Height | Weight   |
|-----------------|---------------|---------|----------|-------|-------|--------|----------|
| EVDSK46010CWH27 | 5" Disk Light | 10.1 W  | 600 Lm   | 2700K | 6.25" | 1.25"  | 0.4 lbs. |
| EVDSK46010CWH30 | 5" Disk Light | 10.1 W  | 600 Lm   | 3000K | 6.25" | 1.25"  | 0.4 lbs. |
| EVDSK46010CWH40 | 5" Disk Light | 10.1 W  | 600 Lm   | 4000K | 6.25" | 1.25"  | 0.4 lbs. |
| EVDSK69015CWH40 | 7" Disk Light | 15 W    | 1,000 Lm | 4000K | 7"    | 1.25"  | 0.7 lbs. |
| EVDSK81825CWH27 | 9" Disk Light | 25 W    | 1,700 Lm | 2700K | 9.5"  | 1.5"   | 0.8 lbs. |
| EVDSK81825CWH40 | 9" Disk Light | 25 W    | 1,700 Lm | 4000K | 9.5"  | 1.5"   | 0.8 lbs. |
| EVDK690DWH27    | 7" Disk Light | 14.3 W  | 1,000 Lm | 2700K | 7.5"  | 1.4"   | 0.7 lbs. |
| EVDK690DWH30    | 7" Disk Light | 14.3 W  | 1,000 Lm | 3000K | 7.5"  | 1.4"   | 0.7 lbs. |
| EVDK690DWH40    | 7" Disk Light | 14.3 W  | 1,000 Lm | 4000K | 7.5"  | 1.4"   | 0.7 lbs. |
| EVDK690DBK30    | 7" Disk Light | 14.3 W  | 1,000 Lm | 3000K | 7.5"  | 1.4"   | 0.7 lbs. |
| EVDK690DBZ30    | 7" Disk Light | 14.3 W  | 1,000 Lm | 3000K | 7.5"  | 1.4"   | 0.7 lbs. |

INTEGRATED LED THIN DISK LIGHT



LED127



LED129

Common Features

- White acrylic lens
- White finish
- 120V input
- Dimmable with LED-rated dimmer switch
- 50,000 hr LED life
- 5-year warranty

| Model # | Description   | Wattage | Lumens   | CCT   | Width | Height | Weight   |
|---------|---------------|---------|----------|-------|-------|--------|----------|
| LED127  | 7" Disk Light | 14 W    | 1,250 Lm | 3000K | 7"    | 1"     | 1.0 lb.  |
| LED129  | 9" Disk Light | 19 W    | 1,700 Lm | 3000K | 9"    | 1"     | 1.7 lbs. |

INTEGRATED LED THIN DISK TRIM OPTIONS



LED1271-OSB  
LED1291-OSB



LED1271-SP  
LED1291-SP



LED1272-WP  
LED1292-WP



LED1274-PN  
LED1294-PN



LED1276-SB  
LED1296-SB



LED1277-SB  
LED1297-SB



LED1279-BK  
LED1299-BK



LED1279-CH  
LED1299-CH

9" Disk Light Trims

| Model #     | Finish           | Width | Height |
|-------------|------------------|-------|--------|
| LED1271-OSB | Old Satin Brass  | 9.5"  | 1.25"  |
| LED1271-SP  | Satin Platinum   | 9.5"  | 1.25"  |
| LED1272-WP  | Weathered Pewter | 9.25" | 1.5"   |
| LED1274-PN  | Polished Nickel  | 9.5"  | 2.25"  |
| LED1276-SB  | Satin Bronze     | 9.5"  | 2.25"  |
| LED1277-SB  | Satin Bronze     | 11.5" | 1.25"  |
| LED1279-BK  | Black            | 12"   | 1.25"  |
| LED1279-CH  | Chrome           | 12"   | 1.25"  |

12" Disk Light Trims

| Model #     | Finish           | Width  | Height |
|-------------|------------------|--------|--------|
| LED1291-OSB | Old Satin Brass  | 12"    | 1.25"  |
| LED1291-SP  | Satin Platinum   | 12"    | 1.25"  |
| LED1292-WP  | Weathered Pewter | 11.25" | 1.5"   |
| LED1294-PN  | Polished Nickel  | 11.5"  | 2.25"  |
| LED1296-SB  | Satin Bronze     | 11.5"  | 2.25"  |
| LED1297-SB  | Satin Bronze     | 13.5"  | 1.25"  |
| LED1299-BK  | Black            | 15.5"  | 2.25"  |
| LED1299-CH  | Chrome           | 15.5"  | 2.25"  |



## INTEGRATED LED LOW PROFILE FLUSH MOUNT



LED1590L3-WH, LED1591L3-WH



LED1590L3-BK, LED1591L3-BK



LED1592L3-WH, LED1593L3-WH



LED1592L3-BK, LED1593L3-BK

### Common Features

- 3000K CCT
- White acrylic lens
- 120V input
- Dimmable
- 30,000 hr LED life
- 3-year warranty



| Model #      | Description                           | Housing Finish | Lumens   | Diameter | Height |
|--------------|---------------------------------------|----------------|----------|----------|--------|
| LED1590L3-WH | 5" Round Low Profile LED Flush Mount  | White          | 550 Lm   | 5"       | 0.61"  |
| LED1590L3-BK | 5" Round Low Profile LED Flush Mount  | Black          | 550 Lm   | 5"       | 0.61"  |
| LED1591L3-WH | 7" Round Low Profile LED Flush Mount  | White          | 800 Lm   | 7"       | 0.63"  |
| LED1591L3-BK | 7" Round Low Profile LED Flush Mount  | Black          | 800 Lm   | 7"       | 0.63"  |
| LED1592L3-WH | 9" Round Low Profile LED Flush Mount  | White          | 1,300 Lm | 9"       | 0.63"  |
| LED1592L3-BK | 9" Round Low Profile LED Flush Mount  | Black          | 1,300 Lm | 9"       | 0.63"  |
| LED1593L3-WH | 12" Round Low Profile LED Flush Mount | White          | 1,800 Lm | 12"      | 0.63"  |
| LED1593L3-BK | 12" Round Low Profile LED Flush Mount | Black          | 1,800 Lm | 12"      | 0.63"  |

**NOTE:** At time of press, not all specs were available for these items. Please contact your DF Pro sales manager for more details.


## WIZ CONNECTED SMART INTEGRATED LED FLUSH MOUNTS



LED155xRGB-BN



LED1555RGB-WH



**16 Million Colors**  
64,000 Shades of White  
Over 20 Preloaded Scenes

works with the  
Google Assistant



Works with  
Siri  
Shortcuts

### Common Features

- 16 Million Colors
- Tunable White: 2200K-6500K
- White acrylic lens
- Voice control: works with Amazon Alexa, Google Assistant, Siri Shortcuts, and IFTT
- 120V input
- Dimmable via the WIZ app
- 30,000 hr LED life
- 3-year warranty



| Model #       | Description                     | Housing Finish | Wattage | Lumens   | Diameter | Height | Weight   |
|---------------|---------------------------------|----------------|---------|----------|----------|--------|----------|
| LED1552RGB-BN | 12" Round Smart LED Flush Mount | Brushed Nickel | 14 W    | 1,000 Lm | 12"      | 3.75"  | 2.0 lbs. |
| LED1553RGB-BN | 14" Round Smart LED Flush Mount | Brushed Nickel | 23 W    | 1,400 Lm | 14"      | 3.75"  | 2.7 lbs. |
| LED1554RGB-BN | 16" Round Smart LED Flush Mount | Brushed Nickel | 27 W    | 1,800 Lm | 16"      | 4"     | 3.2 lbs. |
| LED1555RGB-WH | 14" Round Smart LED Flush Mount | White          | 23 W    | 1,600 Lm | 14"      | 4"     | 2.5 lbs. |

## INTEGRATED LED DC FLUSH MOUNTS



EV14xxC3C-34



EV14xxC3C-35



EV14xxC3C-43

### Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



| Model #      | Description           | Housing Finish    | Wattage | Lumens   | Diameter | Height | Weight   |
|--------------|-----------------------|-------------------|---------|----------|----------|--------|----------|
| EV1410C3C-34 | 10" Round Flush Mount | Oil Rubbed Bronze | 19 W    | 1,150 Lm | 10.5"    | 3.5"   | 1.3 lbs. |
| EV1410C3C-35 | 10" Round Flush Mount | Brushed Nickel    | 19 W    | 1,150 Lm | 10.5"    | 3.5"   | 1.3 lbs. |
| EV1410C3C-43 | 10" Round Flush Mount | Matte Black       | 19 W    | 1,150 Lm | 10.5"    | 3.5"   | 1.3 lbs. |
| EV1412C3C-34 | 12" Round Flush Mount | Oil Rubbed Bronze | 19 W    | 1,200 Lm | 12"      | 4"     | 2.1 lbs. |
| EV1412C3C-35 | 12" Round Flush Mount | Brushed Nickel    | 19 W    | 1,200 Lm | 12"      | 4"     | 2.1 lbs. |
| EV1412C3C-43 | 12" Round Flush Mount | Matte Black       | 19 W    | 1,200 Lm | 12"      | 4"     | 2.1 lbs. |
| EV1414C3C-34 | 14" Round Flush Mount | Oil Rubbed Bronze | 26 W    | 1,400 Lm | 14"      | 4"     | 2.5 lbs. |
| EV1414C3C-35 | 14" Round Flush Mount | Brushed Nickel    | 26 W    | 1,400 Lm | 14"      | 4"     | 2.5 lbs. |
| EV1414C3C-43 | 14" Round Flush Mount | Matte Black       | 26 W    | 1,400 Lm | 14"      | 4"     | 2.5 lbs. |
| EV1416C3C-34 | 16" Round Flush Mount | Oil Rubbed Bronze | 28 W    | 1,800 Lm | 16"      | 4.25"  | 2.7 lbs. |
| EV1416C3C-35 | 16" Round Flush Mount | Brushed Nickel    | 28 W    | 1,800 Lm | 16"      | 4.25"  | 2.7 lbs. |
| EV1416C3C-43 | 16" Round Flush Mount | Matte Black       | 28 W    | 1,800 Lm | 16"      | 4.25"  | 2.7 lbs. |

## INTEGRATED LED FLUSH MOUNTS



EV1586C5-43

### Features

- 5-CCT Selectable: 2700K, 3000K, 3500K, 4000K, and 5000K
- 90+ CRI
- 30,000 hr LED life
- 120V input
- 3-year warranty
- Dimmable
- White plastic lens



| Model #     | Description               | Housing Finish | Wattage | Lumens   | Diameter | Height | Weight |
|-------------|---------------------------|----------------|---------|----------|----------|--------|--------|
| EV1586C5-43 | 13" Round LED Flush Mount | Matte Black    | 25 W    | 1,400 Lm | 13"      | 1.5"   | **     |



EV1572C3-342



EV1573C3-342

### Common Features


- 3-CCT Selectable: 3000K, 4000K, and 5000K
- 120V input
- 5-year warranty
- White plastic lens
- Dimmable
- 50,000 hr LED life
- 90+ CRI



| Model #      | Description                | Housing Finish                         | Wattage | Lumens   | Width  | Depth  | Height | Weight    |
|--------------|----------------------------|----------------------------------------|---------|----------|--------|--------|--------|-----------|
| EV1572C3-342 | 15" Round LED Flush Mount  | Matte Black with Brushed Nickel Accent | 32 W    | 1,600 Lm | 15.25" | 15.25" | 3"     | 3.8 lbs.  |
| EV1573C3-342 | 47" Linear LED Flush Mount | Matte Black with Brushed Nickel Accent | 60 W    | 3,500 Lm | 47"    | 10"    | 3.25"  | 10.3 lbs. |



EV1583C3-43



EV1584C3-338

### Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- 120V input
- 5-year warranty
- White plastic lens
- Dimmable
- 50,000 hr LED life
- 80+ CRI



| Model #      | Description                | Housing Finish                | Wattage | Lumens   | Width | Depth  | Height | Weight    |
|--------------|----------------------------|-------------------------------|---------|----------|-------|--------|--------|-----------|
| EV1583C3-43  | 44" Linear LED Flush Mount | Matte Black                   | 55 W    | 4,000 Lm | 44"   | 13"    | 6"     | 15.5 lbs. |
| EV1584C3-338 | 44" Linear LED Flush Mount | Gray with Brushed Gold Accent | 52 W    | 4,000 Lm | 44"   | 10.25" | 3.75"  | **        |

NOTE: \*\*At time of press, not all specs were available for this item. Please contact your DF Pro sales manager for more details.

INTEGRATED LED FLUSH MOUNTS



EV1517L4-151

Features

- Glass shade
- 4000K CCT
- 80+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty



| Model #      | Description                | Housing Finish | Wattage | Lumens   | Width  | Depth | Height | Weight    |
|--------------|----------------------------|----------------|---------|----------|--------|-------|--------|-----------|
| EV1517L4-151 | 49" Linear LED Flush Mount | Natural Iron   | 59 W    | 4,100 Lm | 49.25" | 18.5" | 4"     | 18.4 lbs. |



EV3163C3B-43



EV31xxC3A-35



EV31xxC3A-43



EV1558C3-43

Common Features

- 3-CCT Selectable: 3000K, 4000K, and 5000K
- White plastic lens
- 90+ CRI
- 120V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty

NOTE: \*Not T24 compliant



| Model #       | Description               | Housing Finish | Wattage | Lumens   | Diameter | Height | Weight   |
|---------------|---------------------------|----------------|---------|----------|----------|--------|----------|
| EV3163C3B-43* | 16" Round LED Flush Mount | Matte Black    | 30 W    | 1,700 Lm | 16"      | 3.5"   | 3.6 lbs. |
| EV3162C3A-35  | 14" Round LED Flush Mount | Brushed Nickel | 26 W    | 1,400 Lm | 14"      | 3.5"   | 2.8 lbs. |
| EV3162C3A-43  | 14" Round LED Flush Mount | Matte Black    | 26 W    | 1,400 Lm | 14"      | 3.5"   | 2.8 lbs. |
| EV3160C3A-35  | 10" Round LED Flush Mount | Brushed Nickel | 19 W    | 1,100 Lm | 10"      | 2.75"  | 1.4 lbs. |
| EV3160C3A-43  | 10" Round LED Flush Mount | Matte Black    | 19 W    | 1,100 Lm | 10"      | 2.75"  | 1.4 lbs. |
| EV1558C3-43   | 16" Round LED Flush Mount | Matte Black    | 34 W    | 2,000 Lm | 16"      | 5.25"  | 4.4 lbs. |



## INTEGRATED LED FLUSH MOUNTS



EV1424C3C-43



3200LEDC-35

### Common Features

- White plastic lens
  - 50,000 hr LED life
  - 120V input
  - 5-year warranty
  - Dimmable
- NOTE:** \*Not T24 compliant



| Model #      | Description                                               | Housing Finish | Wattage | Lumens   | CRI | Width  | Height | Depth | Weight   |
|--------------|-----------------------------------------------------------|----------------|---------|----------|-----|--------|--------|-------|----------|
| EV1424C3C-35 | 24" Oval Flush Mount - Selectable CCT 3000K, 4000K, 5000K | Brushed Nickel | 40 W    | 2,800 Lm | 90+ | 24"    | 4.25"  | 13.5" | 4.3 lbs. |
| EV1424C3C-43 | 24" Oval Flush Mount - Selectable CCT 3000K, 4000K, 5000K | Matte Black    | 40 W    | 2,800 Lm | 90+ | 24"    | 4.25"  | 13.5" | 4.3 lbs. |
| 3200LEDC-35* | 32" Oval Flush Mount - 3000K CCT                          | Brushed Nickel | 45 W    | 3,100 Lm | 80+ | 32.25" | 4.75"  | 18"   | 7.6 lbs. |
| 3200LEDC-43* | 32" Oval Flush Mount - 3000K CCT                          | Matte Black    | 45 W    | 3,100 Lm | 80+ | 32.25" | 4.75"  | 18"   | 7.6 lbs. |

## INTEGRATED LED PUFF FLUSH MOUNTS



EV101xC5C-06



EV101xSC5C-06

### Common Features

- Selectable CCT: 2700K, 3000K, 3500K, 4000K, 5000K
- White finish
- 50,000 hr LED life
- White plastic lens
- 120V input
- 5-year warranty
- Triac dimming



| Model #       | Description                     | CRI | Wattage | Lumens  | Width  | Height | Weight   | Title 24 |
|---------------|---------------------------------|-----|---------|---------|--------|--------|----------|----------|
| EV1011C5C-06  | 11" Round Puff LED Flush Mount  | 80+ | 15 W    | 1200 Lm | 10.75" | 4"     | 0.9 lbs. | No       |
| EV1014C5C-06  | 14" Round Puff LED Flush Mount  | 90+ | 25 W    | 1600 Lm | 13.75" | 4"     | 1.2 lbs. | Yes      |
| EV1011SC5C-06 | 11" Square Puff LED Flush Mount | 90+ | 19 W    | 1200 Lm | 10.75" | 3.25"  | 1.0 lb.  | Yes      |
| EV1014SC5C-06 | 14" Square Puff LED Flush Mount | 90+ | 25 W    | 1600 Lm | 13.75" | 4"     | 2.4 lbs. | Yes      |

## LED TRACK LIGHT / FLUSH MOUNT COMBO KIT



1049TFD3H-35

### Features

- Brushed Nickel (35) finish
- 80+ CRI
- 3000K CCT
- Triac dimming
- 120V input
- 30,000 hr LED life
- 3-year warranty



| Model #      | Description                                          | Wattage | Lumens   | Width | Height | Depth | Weight   |
|--------------|------------------------------------------------------|---------|----------|-------|--------|-------|----------|
| 1049TFD3H-35 | 4-Head Track Kit/Flush Mount Combo with S-Shaped Bar | 30 W    | 2,110 Lm | 34"   | 7.5"   | 7.5"  | 3.7 lbs. |

## LED FIXED-HEAD TRACK LIGHTS



EVT102027B-35



EVT101727B-35



EVT101227B-35



EVT61047D3-05



EVT41052D3-35



EVT41052D3-43

### Common Features

- Brushed Nickel (35), Black (05), Matte Black (43), or White (06) finishes
- 80+ CRI
- Triac dimming
- 120V input
- 50,000 hr LED life
- 5-year warranty



| Model #              | Description                          | CCT          | Wattage     | Lumens          | Width         | Height      | Depth        | Weight          |
|----------------------|--------------------------------------|--------------|-------------|-----------------|---------------|-------------|--------------|-----------------|
| EVT101227B-35        | 4 Cylindrical Heads, Straight Bar    | 2700K        | 23 W        | 2,000 Lm        | 29.5"         | 6.0"        | 5.75"        | 2.5 lbs.        |
| EVT101727B-35        | 4 Bullet Heads, Curved Bar           | 2700K        | 23 W        | 1,900 Lm        | 31.5"         | 6.5"        | 6"           | 2.5 lbs.        |
| EVT102027B-35        | 4 Frosted Shade Heads, Straight Bar  | 2700K        | 23 W        | 1,900 Lm        | 29.5"         | 6"          | 4.5"         | 2.7 lbs.        |
| EVT61047D3-05        | 6 Cylindrical Heads, 2 Straight Bars | 3000K        | 29 W        | 2,700 Lm        | 52"           | 6.25"       | 5.25"        | 3.9 lbs.        |
| <b>EVT41052D3-35</b> | <b>4-Light LED Fixed Track</b>       | <b>3000K</b> | <b>28 W</b> | <b>1,800 Lm</b> | <b>24.75"</b> | <b>7.5"</b> | <b>4.75"</b> | <b>2.5 lbs.</b> |
| <b>EVT41052D3-43</b> | <b>4-Light LED Fixed Track</b>       | <b>3000K</b> | <b>28 W</b> | <b>1,800 Lm</b> | <b>24.75"</b> | <b>7.5"</b> | <b>4.75"</b> | <b>2.5 lbs.</b> |

## INTEGRATED LED TRACK KITS

### Rail and 3 LED Track Heads Included



EVT1042D3A-05



EVT1042D3A-06

#### Common Features

- Black (05) or White (06) finishes
- Triac dimming
- 5-year warranty
- 80+ CRI
- 120V input
- 3000K CCT
- 50,000 hr LED life



| Model #       | Description                        | Wattage | Lumens   | Width | Height | Depth | Weight   |
|---------------|------------------------------------|---------|----------|-------|--------|-------|----------|
| EVT1042D3A-05 | Small Step Cylinder LED Track Head | 20 W    | 1,500 Lm | 42"   | 7.25"  | 4.5"  | 2.8 lbs. |
| EVT1042D3A-06 | Small Step Cylinder LED Track Head | 20 W    | 1,500 Lm | 42"   | 7.25"  | 4.5"  | 2.8 lbs. |

## Single LED Track Heads



EVT1030D3A-05



EVT1031D3A-06



EVT1032D3-05

#### Common Features

- Black (05) or White (06) finishes
- Triac dimming
- 5-year warranty
- 80+ CRI
- 120V input
- 3000K CCT
- 50,000 hr LED life



| Model #       | Description                         | Wattage | Lumens   | Width | Height | Depth | Weight   |
|---------------|-------------------------------------|---------|----------|-------|--------|-------|----------|
| EVT1030D3A-05 | Small Step Cylinder LED Track Head  | 6 W     | 500 Lm   | 4"    | 5.5"   | 2.5"  | 0.5 lbs. |
| EVT1030D3A-06 | Small Step Cylinder LED Track Head  | 6 W     | 500 Lm   | 4"    | 5.5"   | 2.5"  | 0.5 lbs. |
| EVT1031D3A-05 | Medium Step Cylinder LED Track Head | 12 W    | 850 Lm   | 5.25" | 6.25"  | 3.5"  | 0.8 lbs. |
| EVT1031D3A-06 | Medium Step Cylinder LED Track Head | 12 W    | 850 Lm   | 5.25" | 6.25"  | 3.5"  | 0.8 lbs. |
| EVT1032D3-05  | Large Step Cylinder LED Track Head  | 18 W    | 1,280 Lm | 6.5"  | 7"     | 4.5"  | 1.1 lbs. |
| EVT1032D3A-06 | Large Step Cylinder LED Track Head  | 15 W    | 1,280 Lm | 6.5"  | 7"     | 4.5"  | 1.1 lbs. |

INTEGRATED LED PUFF FLUSH MOUNT BATH LIGHT



154xN3MV-35

Common Features

- White acrylic lens
  - Brushed Nickel accent
  - 3000K CCT
- 120V/277V input
  - 80+ CRI
  - 50,000 hr LED life
- 5-year warranty



| Model #     | Description                          | Wattage | Lumens   | Width  | Height | Depth | Weight   |
|-------------|--------------------------------------|---------|----------|--------|--------|-------|----------|
| 1541N3MV-35 | 2' Linear LED Flush Mount Bath Light | 25 W    | 2,200 Lm | 24"    | 4.25"  | 6"    | 4.7 lbs. |
| 1542N3MV-35 | 3' Linear LED Flush Mount Bath Light | 30 W    | 2,700 Lm | 36"    | 4.25"  | 6"    | 6.0 lbs. |
| 1543N3MV-35 | 4' Linear LED Flush Mount Bath Light | 40 W    | 3,700 Lm | 47.75" | 4.25"  | 6"    | 7.1 lbs. |

INTEGRATED LED BATH VANITIES



LED68303-SP-T24



LED68204-SP

Common Features

- 2700K CCT
  - 120V input
- 50,000 hr LED life
  - 3-year warranty
- NOTE: \* Title 24 compliant & Dimmable



| Model #          | Description     | Finish         | Shade             | Wattage | Lumens   | Width | Height | Extension | Weight   |
|------------------|-----------------|----------------|-------------------|---------|----------|-------|--------|-----------|----------|
| LED68303-SP-T24* | LED Bath Vanity | Satin Platinum | Satin White Glass | 30 W    | 1,900 Lm | 24"   | 5"     | 4.75"     | 5.7 lbs. |
| LED68304-SP-T24* | LED Bath Vanity | Satin Platinum | Satin White Glass | 39 W    | 2,300 Lm | 30"   | 5"     | 4.75"     | 6.5 lbs. |
| LED68203-SP      | LED Bath Vanity | Satin Platinum | Satin White Glass | 30 W    | 1,800 Lm | 24"   | 5"     | 5"        | 5.9 lbs. |
| LED68204-SP      | LED Bath Vanity | Satin Platinum | Satin White Glass | 39 W    | 2,700 Lm | 30"   | 5"     | 5"        | 7.0 lbs. |

## INTEGRATED LED WALL SCONCES



LED89802-BK



LED6871-CH



LED6871-SP



LED67801-SP-T24

## Common Features

- 2700K CCT
- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

**NOTE:** \* Not ADA compliant  
\*\* Not Energy Star, T24, or ADA Compliant



| Model #          | Description     | Finish         | Shade             | Wattage | Lumens | Width | Height | Extension | Weight   |
|------------------|-----------------|----------------|-------------------|---------|--------|-------|--------|-----------|----------|
| LED89802-BK**    | LED Wall Sconce | Black          | Clear Seedy Glass | 21 W    | 900 Lm | 14"   | 17"    | 6"        | 5.6 lbs. |
| LED6871-CH       | LED Wall Sconce | Chrome         | Etched Opal Glass | 13 W    | 800 Lm | 4.5"  | 13.75" | 4"        | 3.0 lbs. |
| LED6871-SP       | LED Wall Sconce | Satin Platinum | Etched Opal Glass | 13 W    | 800 Lm | 4.5"  | 13.75" | 4"        | 3.0 lbs. |
| LED67801-SP-T24* | LED Wall Sconce | Satin Platinum | Frosted Glass     | 14 W    | 650 Lm | 4.5"  | 9.75"  | 6.5"      | 6.0 lbs. |



LED15011A-34



LED15011A-35



LED6071-SP



LED6020A-AST



LED33711-BNB

## Common Features

- 120V input
- Dimmable
- 50,000 hr LED life
- 1-year warranty

**NOTE:** \* Not ADA Compliant



| Model #       | Description     | Finish            | Shade/Accent  | CCT   | Wattage | Lumens   | Width  | Height | Ext.  | Weight   |
|---------------|-----------------|-------------------|---------------|-------|---------|----------|--------|--------|-------|----------|
| LED15011A-34  | LED Wall Sconce | Oil Rubbed Bronze | Frosted Glass | 2700K | 10 W    | 800 Lm   | 7"     | 10"    | 3.5"  | 2.6 lbs. |
| LED15011A-35  | LED Wall Sconce | Satin Platinum    | Frosted Glass | 2700K | 10 W    | 800 Lm   | 7"     | 10"    | 3.5"  | 2.6 lbs. |
| LED6071-SP    | LED Wall Sconce | Satin Platinum    | Frosted Glass | 2700K | 10 W    | 700 Lm   | 6.25"  | 10.5"  | 3.5"  | 3.9 lbs. |
| LED6020A-AST* | LED Wall Sconce | Assorted Caps     | Frosted Glass | 3000K | 9 W     | 1,200 Lm | 13.25" | 6.5"   | 6.5"  | 3.0 lbs. |
| LED33711-BNB* | LED Wall Sconce | Burnished Bronze  | Opal Glass    | 3000K | 13 W    | 550 Lm   | 9.25"  | 13.25" | 4.25" | 5.0 lbs. |



## INTEGRATED LED OUTDOOR POST LANTERNS



LED31136A-ORB



LED22436-BNB



LED32826-BNB



LED33436-ORB



LED32536-BNB

### Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 3-year warranty
- 60,000 hr LED life

NOTE: \* Not made from Cast Aluminum



| Model #       | Description      | Finish            | Shade / Accent      | Wattage | Lumens | Width | Height | Weight    |
|---------------|------------------|-------------------|---------------------|---------|--------|-------|--------|-----------|
| LED31136A-ORB | LED Post Lantern | Oil Rubbed Bronze | Clear Crackle Glass | 6 W     | 300 Lm | 9"    | 18.25" | 7.0 lbs.  |
| LED22436-BNB  | LED Post Lantern | Burnished Bronze  | White Opal Glass    | 13 W    | 750 Lm | 9"    | 15.5"  | 4.9 lbs.  |
| LED32826-BNB  | LED Post Lantern | Burnished Bronze  | Clear Seedy Glass   | 11 W    | 650 Lm | 9"    | 17"    | 4.0 lbs.  |
| LED33436-ORB* | LED Post Lantern | Oil Rubbed Bronze | Clear Seedy Glass   | 10 W    | 450 Lm | 8.5"  | 16.5"  | 6.1 lbs.  |
| LED32536-BNB  | LED Post Lantern | Burnished Bronze  | Clear Ribbed Glass  | 13 W    | 800 Lm | 9"    | 14.5"  | 13.1 lbs. |

## INTEGRATED LED OUTDOOR DARK SKY WALL LANTERNS



LED34621-ORB  
LED34631-ORB



LED23221-SV



LED32611-BNB  
LED32621-BNB



LED33001-SP



LED33001-ORB

### Common Features

- 120V input
- 3000K CCT
- 80+ CRI
- 60,000 hr LED life
- 3-year warranty

NOTE: \* ADA compliant

\*\* Energy Star rated and made from Cast Aluminum



| Model #        | Description         | Finish            | Diffuser     | Wattage | Lumens | CRI | Width | Height | Extension | Weight   |
|----------------|---------------------|-------------------|--------------|---------|--------|-----|-------|--------|-----------|----------|
| LED34621-ORB*  | LED DS Wall Lantern | Oil Rubbed Bronze | Etched Glass | 13 W    | 700 Lm | 80+ | 7"    | 5"     | 3.5"      | 4.1 lbs. |
| LED34631-ORB*  | LED DS Wall Lantern | Oil Rubbed Bronze | Etched Glass | 13 W    | 700 Lm | 80+ | 9"    | 5"     | 4"        | 4.1 lbs. |
| LED23221-SV    | LED DS Wall Lantern | Silver            | N/A          | 10 W    | 500 Lm | 80+ | 8"    | 12"    | 9.5"      | 2.6 lbs. |
| LED32611-BNB** | LED DS Wall Lantern | Burnished Bronze  | N/A          | 10 W    | 325 Lm | 70+ | 6"    | 15.5"  | 5"        | 3.7 lbs. |
| LED32621-BNB** | LED DS Wall Lantern | Burnished Bronze  | N/A          | 10 W    | 400 Lm | 70+ | 7"    | 18"    | 6"        | 5.0 lbs. |
| LED33001-SP    | LED DS Wall Lantern | Satin Platinum    | Etched Glass | 7.5 W   | 500 Lm | 70+ | 4.5"  | 6"     | 4.75"     | 5.0 lbs. |
| LED33001-ORB   | LED DS Wall Lantern | Oil Rubbed Bronze | Etched Glass | 7.5 W   | 500 Lm | 70+ | 4.5"  | 6"     | 4.75"     | 5.0 lbs. |

## INTEGRATED LED OUTDOOR WALL LANTERNS



D248L-50W-MB  
D248L-70W-MB



LED34511-RT  
LED34521-RT



LED32911-BBZ  
LED32921-BBZ



LED31111A-ORB  
LED31121A-ORB



LED22421-BNB  
LED22431-BNB



LED33421-ORB  
LED33431-ORB



LED33001C-SP



LED32211-BK



LED32311-FSN



7103LED-05

### Common Features

- 120V input
- 3000K CCT
- > 80 CRI
- 50,000 hr LED life
- 3-year warranty

**NOTES:** \* = does not qualify for Energy Star  
\*\* = ADA compliant



| Model #       | Description      | Finish            | Shade / Accent        | Wattage | Lumens | Width | Height | Extension | Weight   |
|---------------|------------------|-------------------|-----------------------|---------|--------|-------|--------|-----------|----------|
| D248L-50W-MB* | LED Wall Lantern | Matte Black       | Etched White Glass    | 11 W    | 450 Lm | 5.5"  | 12"    | 5"        | 1.5 lbs. |
| D248L-70W-MB* | LED Wall Lantern | Matte Black       | Etched White Glass    | 21 W    | 850 Lm | 7"    | 17.5"  | 6"        | 4.3 lbs. |
| LED34511-RT** | LED Wall Lantern | Rustique          | Clear Seedy Glass     | 11 W    | 450 Lm | 5.75" | 12"    | 4"        | 3.6 lbs. |
| LED34521-RT   | LED Wall Lantern | Rustique          | Clear Seedy Glass     | 11 W    | 600 Lm | 6.5"  | 15"    | 4.75"     | 4.9 lbs. |
| LED32911-BBZ  | LED Wall Lantern | Burnished Bronze  | Clear Crackle Glass   | 11 W    | 900 Lm | 5.5"  | 11.75" | 6.75"     | 5.0 lbs. |
| LED32921-BBZ  | LED Wall Lantern | Burnished Bronze  | Clear Crackle Glass   | 11 W    | 850 Lm | 7"    | 17"    | 8.25"     | 9.0 lbs. |
| LED31111A-ORB | LED Wall Lantern | Oil Rubbed Bronze | Clear Crackle Glass   | 6 W     | 350 Lm | 7"    | 13"    | 9.75"     | 3.9 lbs. |
| LED31121A-ORB | LED Wall Lantern | Oil Rubbed Bronze | Clear Crackle Glass   | 6 W     | 350 Lm | 9"    | 16.25" | 11.75"    | 3.9 lbs. |
| LED22421-BNB  | LED Wall Lantern | Burnished Bronze  | White Opal Glass      | 13 W    | 650 Lm | 7"    | 11.5"  | 8.75"     | 4.4 lbs. |
| LED22431-BNB  | LED Wall Lantern | Burnished Bronze  | White Opal Glass      | 13 W    | 700 Lm | 9"    | 14.5"  | 10.5"     | 7.4 lbs. |
| LED33421-ORB  | LED Wall Lantern | Oil Rubbed Bronze | Clear Seedy Glass     | 10 W    | 600 Lm | 6.5"  | 10.25" | 7.5"      | 4.6 lbs. |
| LED33431-ORB  | LED Wall Lantern | Oil Rubbed Bronze | Clear Seedy Glass     | 10 W    | 550 Lm | 8.5"  | 12.75" | 9.5"      | 7.0 lbs. |
| LED33001C-SP  | LED Wall Lantern | Satin Platinum    | Etched Glass Diffuser | 10 W    | 800 Lm | 4.5"  | 7.5"   | 4.75"     | 5.0 lbs. |
| LED32211-BK   | LED Wall Lantern | Black             | Frosted & Clear Glass | 5.5 W   | 424 Lm | 5.5"  | 8.75"  | 7"        | 3.1 lbs. |
| LED32311-FSN  | LED Wall Lantern | Forged Sienna     | Clear Glass           | 5.5 W   | 300 Lm | 5.5"  | 10"    | 7"        | 8.9 lbs. |
| 7103LED-05    | LED Wall Lantern | Black             | Clear Seedy Glass     | 6 W     | 220 Lm | 6.5"  | 14"    | 7.5"      | 3.1 lbs. |

INTEGRATED LED WRAPAROUNDS



WE1040D140

Features

- White Housing
- 120V input
- Triac Dimming
- 50,000 hr LED life
- 5-year warranty

| Model #    | Description                 | CRI | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight |
|------------|-----------------------------|-----|-------|---------|----------|----------|-------|--------|-------|--------|
| WE1004D140 | White Edge Lit Utility Wrap | 80+ | 4000K | 60 W    | 4,000 Lm | 82 Lm/W  | 46"   | 4.2"   | 10"   | 7 lbs. |



WL11100DM40



WA304BL301

Common Features

- White Housing
- 120/277V input
- Dimmable
- 50,000 hr LED life
- 5-year warranty
- Sensor available



| Model #     | Description                            | CRI | CCT   | Wattage | Lumens    | Efficacy | Width | Height | Depth | Weight   |
|-------------|----------------------------------------|-----|-------|---------|-----------|----------|-------|--------|-------|----------|
| WL11100DM40 | 4' x 11" Flush Mount MV Wraparound     | 83  | 4000K | 100 W   | 10,000 Lm | 100 Lm/W | 48"   | 1.65"  | 11.3" | 8.8 lbs. |
| WA304BL301  | 3' x 4" Semi-Flush Mount MV Wraparound | 83  | 4000K | 33 W    | 3,000 Lm  | 91 Lm/W  | 36"   | 2.5"   | 4"    | 8.8 lbs. |

## LED T8 WRAPAROUNDS

### LED T8 Lamps Included



WA09Txxxx

#### Common Features

- White Housing
- 120/277V input
- 83 CRI
- 50,000 hr LED life
- 5-year warranty
- Sensor available
- Only T8 tubes are DLC listed
- Battery Backup available - Add suffix "B" to any of the 4 models below



| Model #   | Description                                   | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight   |
|-----------|-----------------------------------------------|-------|---------|----------|----------|-------|--------|-------|----------|
| WA09T1840 | 4' x 9" 2-Light LED Flush Mount MV Wraparound | 4000K | 28 W    | 3,600 Lm | 129 Lm/W | 48"   | 3.25"  | 9"    | 8.8 lbs. |
| WA09T1850 | 4' x 9" 2-Light LED Flush Mount MV Wraparound | 5000K | 28 W    | 3,600 Lm | 129 Lm/W | 48"   | 3.25"  | 9"    | 8.8 lbs. |

#### Accessory

| Model # | Description                                                                                  | Voltage  | Width | Height | Depth | Weight   | Warranty |
|---------|----------------------------------------------------------------------------------------------|----------|-------|--------|-------|----------|----------|
| EVWA9T8 | 4' Wraparound Housing only<br>Wired for use with Type B Single End powered LED T8 tubes only | 120/277V | 48"   | 3.25"  | 9"    | 8.8 lbs. | 5-year   |

INTEGRATED LED MEDIUM STRIP LIGHTS



ST4LSWDM DSC



ST8LSWDM DSC



ST8L74DMD40



ST8L117DMD40

Common Features

- White Housing
  - 120/277V input
  - 80+ CRI
- 0-10V Dimming
  - 50,000 hr LED life
  - 5-year warranty
- Sensor available



| Model #      | Description                                             | CCT   | Wattage | Lumens    | Efficacy | Width | Height | Depth | Weight    |
|--------------|---------------------------------------------------------|-------|---------|-----------|----------|-------|--------|-------|-----------|
| ST4LSWDM DSC | 4' LED Medium Strip Light<br>Selectable Wattage and CCT | 3500K | 34 W    | 4,400 Lm  | 129 Lm/W | 48"   | 3.5"   | 3.4"  | 4.5 lbs.  |
|              |                                                         | 4000K | 38 W    | 5,000 Lm  | 132 Lm/W |       |        |       |           |
|              |                                                         | 5000K | 45 W    | 5,900 Lm  | 131 Lm/W |       |        |       |           |
| ST8LSWDM DSC | 8' LED Medium Strip Light<br>Selectable Wattage and CCT | 3500K | 65 W    | 8,450 Lm  | 130 Lm/W | 96"   | 3.5"   | 3.4"  | 9.9 lbs.  |
|              |                                                         | 4000K | 75 W    | 9,750 Lm  | 130 Lm/W |       |        |       |           |
|              |                                                         | 5000K | 90 W    | 11,700 Lm | 130 Lm/W |       |        |       |           |
| ST8L74DMD40  | 8' LED Medium Strip Light                               | 4000K | 69.1 W  | 7,400 Lm  | 107 Lm/W | 96"   | 3.5"   | 3"    | 10.3 lbs. |
| ST8L117DMD40 | 8' LED Medium Strip Light                               | 4000K | 90 W    | 11,700 Lm | 130 Lm/W | 96"   | 3.5"   | 3.4"  | 10.0 lbs. |



## INTEGRATED LED SLIM STRIP LIGHTS



ST4N48DMDxx



ST8N96DMDxx

### Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- 50,000 hr LED life
- 5-year warranty
- Sensor available



| Model #     | Description             | CCT   | Wattage | Lumens    | Efficacy | Width | Height | Depth | Weight   |
|-------------|-------------------------|-------|---------|-----------|----------|-------|--------|-------|----------|
| ST4N40DMD35 | 4' LED Slim Strip Light | 3500K | 38 W    | 4,000 Lm  | 105 Lm/W | 48"   | 2.75"  | 2"    | 5.6 lbs. |
| ST4N48DMD40 | 4' LED Slim Strip Light | 4000K | 43 W    | 5,000 Lm  | 116 Lm/W | 48"   | 2.75"  | 2"    | 5.6 lbs. |
| ST4N48DMD50 | 4' LED Slim Strip Light | 5000K | 43 W    | 5,000 Lm  | 116 Lm/W | 48"   | 2.75"  | 2"    | 5.6 lbs. |
| ST8N96DMD40 | 8' LED Slim Strip Light | 4000K | 84 W    | 10,000 Lm | 119 Lm/W | 96"   | 2.75"  | 2"    | 11.0 lb. |
| ST8N96DMD50 | 8' LED Slim Strip Light | 5000K | 84 W    | 10,000 Lm | 119 Lm/W | 96"   | 2.75"  | 2"    | 11.0 lb. |

## LED T8 STRIP LIGHTS

### LED T8 Lamps Included



ST702Txxxx



ST704Txxxx

### Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 50,000 hr LED life
- 5-year warranty
- Sensor available
- Only T8 tubes are DLC listed
- For use with Type B, Single end powered LED T8 tubes only



| Model #    | Description                     | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight    |
|------------|---------------------------------|-------|---------|----------|----------|-------|--------|-------|-----------|
| ST702T1835 | 4' Strip, 2 LED Lamps           | 3500K | 28 W    | 3,600 Lm | 129 Lm/W | 48"   | 2.1"   | 4"    | 6.5 lbs.  |
| ST702T1840 | 4' Strip, 2 LED Lamps           | 4000K | 28 W    | 3,600 Lm | 129 Lm/W | 48"   | 2.1"   | 4"    | 6.5 lbs.  |
| ST702T1850 | 4' Strip, 2 LED Lamps           | 5000K | 28 W    | 3,600 Lm | 129 Lm/W | 48"   | 2.1"   | 4"    | 6.5 lbs.  |
| ST704T1835 | 8' Strip, 4 LED Lamps           | 3500K | 56 W    | 7,200 Lm | 129 Lm/W | 96"   | 2.1"   | 4"    | 12.5 lbs. |
| ST704T1840 | 8' Strip, 4 LED Lamps           | 4000K | 56 W    | 7,200 Lm | 129 Lm/W | 96"   | 2.1"   | 4"    | 12.5 lbs. |
| ST704T1850 | 8' Strip, 4 LED Lamps           | 5000K | 56 W    | 7,200 Lm | 129 Lm/W | 96"   | 2.1"   | 4"    | 12.5 lbs. |
| EVSS42T8   | 4' Strip Fixture - Housing Only | N/A   | N/A     | N/A      | N/A      | 48"   | 2.75"  | 4"    | 4.2 lbs.  |
| EVSS84T8   | 8' Strip Fixture - Housing Only | N/A   | N/A     | N/A      | N/A      | 96"   | 2.75"  | 4"    | 8.4 lbs.  |

## INTEGRATED LED HONEYCOMB TROFFER PANEL



PHC24BL50

## Features

- White Housing
- Sharp light cutoff angle
- 5-year warranty
- 120/277V input
- 0-10V Dimming
- 80+ CRI
- 50,000 hr LED life

| Model #   | Description             | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight   |
|-----------|-------------------------|-------|---------|----------|----------|-------|--------|-------|----------|
| PHC24BL50 | 2' X 4' Honeycomb Panel | 4000K | 42 W    | 5,000 Lm | 119 Lm/W | 48"   | 1.75"  | 24"   | 7.6 lbs. |

## WIZ CONNECTED SMART INTEGRATED LED TROFFER



EVTR24DI48DTWP

works with the  
Google Assistant

## Features

- Control with the WIZ smart phone app
- White housing
- 50,000 hr LED life
- Wi-Fi, cloud based
- Dimming via the WIZ app
- 5-year warranty
- No hub needed - easy setup
- Power factor 0.99



| Model #        | Description                    | CCT     | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight    |
|----------------|--------------------------------|---------|---------|----------|----------|-------|--------|-------|-----------|
| EVTR24DI48DTWP | 2' X 4' LED Volumetric Troffer | Tunable | 37 W    | 4,800 Lm | 130 Lm/W | 48"   | 3.625" | 24"   | 20.0 lbs. |

## WHITE LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL30WD



TRS24BL50WD

### Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



| Model #     | Description                        | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight    |
|-------------|------------------------------------|-------|---------|----------|----------|-------|--------|-------|-----------|
| TRS22BL30WD | Shallow 2' x 2' White Lens Troffer | 4000K | 27 W    | 3,100 Lm | 115 Lm/W | 24"   | 1.75"  | 24"   | 11.0 lb.  |
| TRS24BL50WD | Shallow 2' x 4' White Lens Troffer | 4000K | 43 W    | 5,100 Lm | 119 Lm/W | 48"   | 1.75"  | 24"   | 17.9 lbs. |

## PRISMATIC LENS INTEGRATED LED BACKLIT TROFFERS



TRS22BL20WD



TRS24BL40WD

### Common Features

- White Housing
- 120/277V input
- 80+ CRI
- 0-10V Dimming
- Min ambient temp 0° C / 32° F
- Max ambient temp 40° C / 104° F
- Power factor 0.99
- 50,000 hr LED life
- 5-year warranty



| Model #     | Description                        | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight    |
|-------------|------------------------------------|-------|---------|----------|----------|-------|--------|-------|-----------|
| TRS22BL20PD | Shallow 2' x 2' White Lens Troffer | 4000K | 27 W    | 3,100 Lm | 115 Lm/W | 24"   | 1.75"  | 24"   | 11.0 lbs. |
| TRS24BL40PD | Shallow 2' x 4' White Lens Troffer | 4000K | 43 W    | 5,100 Lm | 119 Lm/W | 48"   | 1.75"  | 24"   | 17.9 lbs. |

INTEGRATED LED ROUND GROW LIGHTS



GL11R150Mx

Common Features

- Black housing
  - 120/277V input
  - 80+ CRI
- 120° beam angle
  - Dimmable 0-10V
  - 120V power cord included
- 50,000 hr LED life
  - 5 year warranty
- NOTE: \* = DLC listed



| Model #     | Description                        | CCT   | Wattage | Lumens    | Efficacy | Diameter | Height | Weight   |
|-------------|------------------------------------|-------|---------|-----------|----------|----------|--------|----------|
| GL11R150M   | 11" Round Vegetative Grow Light    | 3250K | 150 W   | 24,000 Lm | 160 Lm/W | 11"      | 2"     | 6.0 lbs. |
| GL11R150MH* | 11" Round Horticultural Grow Light | 3325K | 150 W   | 24,300 Lm | 162 Lm/W | 11"      | 2"     | 6.0 lbs. |

INTEGRATED LED ROUND HIGH BAYS  
High Efficiency - Utility Rebate Eligible



HBRxxDMDP50

Common Features

- Black housing
  - 120/277V input
  - 80+ CRI
- Lenses Available
  - Wire Guards Available
  - Battery Backup Available
- 50,000 hr LED life
  - 5 year warranty

| Model #     | Description        | CCT   | Wattage | Lumens    | Efficacy | Diameter | Height | Weight   |
|-------------|--------------------|-------|---------|-----------|----------|----------|--------|----------|
| HBR14DMDP50 | 9" Round High Bay  | 5000K | 80 W    | 14,400 Lm | 180 Lm/W | 9"       | 2"     | 4.4 lbs. |
| HBR22DMDP50 | 11" Round High Bay | 5000K | 120 W   | 21,600 Lm | 180 Lm/W | 11"      | 2"     | 6.0 lbs. |
| HBR27DMDP50 | 11" Round High Bay | 5000K | 150 W   | 27,000 Lm | 180 Lm/W | 11"      | 2"     | 6.0 lbs. |
| HBR36DMDP50 | 11" Round High Bay | 5000K | 200 W   | 36,000 Lm | 180 Lm/W | 11"      | 2"     | 6.0 lbs. |

## INTEGRATED LED BACKLIT HIGH BAYS



HB2B13DMP50



HB2B19DMP50



HB4B28DMDP50

### Common Features

- White housing
- 120/277V input
- 80+ CRI
- Power factor 0.99
- THD <20%
- Dimmable
- 50,000 hr LED life
- 5 year warranty



| Model #      | Description                     | CCT   | Wattage | Lumens    | Efficacy | Width  | Height | Depth | Weight    |
|--------------|---------------------------------|-------|---------|-----------|----------|--------|--------|-------|-----------|
| HB2B13DMP50  | 2' LED High Bay Backlit Fixture | 5000K | 91 W    | 12,800 Lm | 141 Lm/W | 24.75" | 1.75"  | 11"   | 8.6 lbs.  |
| HB2B19DMP50  | 2' LED High Bay Backlit Fixture | 5000K | 146 W   | 20,000 Lm | 137 Lm/W | 24.75" | 1.75"  | 11"   | 8.6 lbs.  |
| HB4B28DMDP50 | 4' LED High Bay Backlit Fixture | 5000K | 205 W   | 28,200 Lm | 138 Lm/W | 49.9"  | 3.67"  | 12.6" | 16.8 lbs. |

## LED T8 HIGH BAYS

### Housings - LED T8 Lamps Optional



HBA6Txxx

### Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- THD <20%
- Only T8 tubes are DLC listed
- 50,000 hr LED life
- 5-year warranty



| Model #   | Description              | CCT   | Wattage | Lumens    | Efficacy | Width  | Height | Depth | Weight    |
|-----------|--------------------------|-------|---------|-----------|----------|--------|--------|-------|-----------|
| HBA6T1835 | High Bay, 6 LED T8 Lamps | 3500K | 86 W    | 10,800 Lm | 126 Lm/W | 48.25" | 2.9"   | 16.8" | 17.5 lbs. |
| HBA6T1840 | High Bay, 6 LED T8 Lamps | 4000K | 85 W    | 10,800 Lm | 127 Lm/W | 48.25" | 2.9"   | 16.8" | 17.5 lbs. |
| HBA6T1850 | High Bay, 6 LED T8 Lamps | 5000K | 84 W    | 10,800 Lm | 128 Lm/W | 48.25" | 2.9"   | 16.8" | 17.5 lbs. |

### Accessories

| Model #      | Description                | CCT   | Wattage | Lumens   |
|--------------|----------------------------|-------|---------|----------|
| 930-174-ES-1 | 4' replacement LED T8 Bulb | 3500K | 14 W    | 1,800 Lm |
| 902-454-ES-1 | 4' replacement LED T8 Bulb | 4000K | 14 W    | 1,800 Lm |
| 906-247-ES-1 | 4' replacement LED T8 Bulb | 5000K | 14 W    | 1,800 Lm |

| Model #  | Description                                                                           | Voltage  | Width | Height | Depth | Weight  | Warranty |
|----------|---------------------------------------------------------------------------------------|----------|-------|--------|-------|---------|----------|
| EVHBA6T8 | 4' High Bay Housing<br>Wired for use with Type B Single End powered LED T8 tubes only | 120/277V | 49"   | 2.75"  | 17"   | 16 lbs. | 5-year   |

## INTEGRATED LED SECURITY FLOOD LIGHTS



FL14NT50-48



FL17NT50-48

## Common Features

- Bronze finish
- Tempered glass lens
- 120V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- > 80 CRI
- 6KV surge protection
- 50,000 hr LED life
- 5-year warranty

NOTE: \* IP65 Rated



| Model #     | Description              | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight   |
|-------------|--------------------------|-------|---------|----------|----------|-------|--------|-------|----------|
| FL14NT50-48 | LED Security Flood Light | 5000K | 12 W    | 1,000 Lm | 83 Lm/W  | 5.2"  | 4.9"   | 4.1"  | 0.8 lbs. |
| FL17NT50-48 | LED Security Flood Light | 5000K | 24 W    | 2,200 Lm | 92 Lm/W  | 5.2"  | 4.9"   | 4.1"  | 1.0 lb.  |



FL2016N40-06



FL2016N40-48

## Common Features

- Available finishes: White (06) or Bronze (48)
- 120V input
- Min starting temp 0° C / 32° F
- > 80 CRI
- 50,000 hr LED life
- 5-year warranty



| Model #      | Description              | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight   |
|--------------|--------------------------|-------|---------|----------|----------|-------|--------|-------|----------|
| FL2016N40-06 | LED Security Flood Light | 4000K | 20 W    | 1,800 Lm | 90 Lm/W  | 7"    | 7"     | 4.75" | 2.2 lbs. |
| FL2016N40-48 | LED Security Flood Light | 4000K | 20 W    | 1,800 Lm | 90 Lm/W  | 7"    | 7"     | 4.75" | 2.2 lbs. |

## INTEGRATED LED WALL PACKS



WP3xxV50-48

## Common Features

- Corrosion-resistant bronze powder coating
- Borosilicate glass prismatic shade
- 120/277V input
- 100° beam angle
- Min starting temp 0° C / 32° F
- > 80 CRI
- 6KV surge protection
- 50,000 hr LED life
- 5-year warranty




| Model #     | Description   | BUG Rating | Dimming | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight   |
|-------------|---------------|------------|---------|-------|---------|----------|----------|-------|--------|-------|----------|
| WP30PV50-48 | LED Wall Pack | B1-U3-G3   | 0-10V   | 5000K | 30 W    | 4,000 Lm | 133 Lm/W | 14.1" | 9.2"   | 9"    | 8.4 lbs. |
| WP3BPV50-48 | LED Wall Pack | B1-U3-G4   | 0-10V   | 5000K | 45 W    | 6,200 Lm | 138 Lm/W | 14.1" | 9.2"   | 9"    | 9.2 lbs. |
| WP3EPV50-48 | LED Wall Pack | B2-U4-G3   | 0-10V   | 5000K | 67 W    | 9,200 Lm | 137 Lm/W | 14.1" | 9.2"   | 9"    | 9.8 lbs. |



## LED T8 SHOP LIGHTS

Power Cord and Plug Included. LED T8 Lamps Optional.



## Common Features

- White Housing
- 120/277V input
- 80+ CRI
- Power factor 0.92
- Min ambient temp -20°C / -4°F
- Max ambient temp 40°C / 104°F
- THD <20%
- Only T8 tubes are DLC listed
- 50,000 hr LED life
- 5-year warranty



| Model #    | Description           | CCT   | Wattage | Lumens   | Efficacy | Width | Height | Depth | Weight   |
|------------|-----------------------|-------|---------|----------|----------|-------|--------|-------|----------|
| SL602T1840 | 2 Lamp, 4' Shop Light | 4000K | 28 W    | 3,600 Lm | 126 Lm/W | 48"   | 2.5"   | 6"    | 4.6 lbs. |
| SL602T1850 | 2 Lamp, 4' Shop       | 5000K | 28 W    | 3,600 Lm | 126 Lm/W | 48"   | 2.5"   | 6"    | 4.6 lbs. |

## VAPOR TIGHT / BARN LIGHT



GL14R30130



AS1AD40-27

## Common Features

- Power factor 0.99
- THD <20%
- 5-year warranty



| Model #    | Description                | Voltage  | CCT   | Wattage | Lumens   | Efficacy | CRI | Width | Height | Depth | Weight   |
|------------|----------------------------|----------|-------|---------|----------|----------|-----|-------|--------|-------|----------|
| GL14R30130 | Integrated LED Vapor Tight | 120/227V | 3000K | 22 W    | 3,000 Lm | 136 Lm/W | 80  | 14"   | 4"     | 14"   | 4.0 lbs. |
| AS1AD40-27 | Integrated LED Barn Light  | 120V     | 4000K | 31 W    | 5,000 Lm | 161 Lm/W | 70  | 7.6"  | 4.85"  | 11.7" | 6.0 lbs. |

| ITEM #                 | PAGE      | ITEM #                | PAGE      | ITEM #                | PAGE     | ITEM #               | PAGE      |
|------------------------|-----------|-----------------------|-----------|-----------------------|----------|----------------------|-----------|
| 1049TFD3H-35           | 16        | EV26081WH40           | 3         | EVL4733CWH35          | 6        | EVRT635WH            | 8         |
| 1541N3MV-35            | 18        | <b>EV3160C3A-35</b>   | <b>14</b> | EVL4733CWH40          | 6        | EVSS42T8             | 25        |
| 1542N3MV-35            | 18        | <b>EV3160C3A-43</b>   | <b>14</b> | EVL4733CWH50          | 6        | EVSS84T8             | 25        |
| 1543N3MV-35            | 18        | <b>EV3162C3A-35</b>   | <b>14</b> | EVL4742BWH30          | 5        | EVT101227B-35        | 16        |
| 3200LEDC-35            | 15        | <b>EV3162C3A-43</b>   | <b>14</b> | EVL4742BWH40          | 5        | EVT101727B-35        | 16        |
| 3200LEDC-43            | 15        | <b>EV3163C3B-43</b>   | <b>14</b> | <b>EVL61091T50WH</b>  | <b>7</b> | EVT102027B-35        | 16        |
| 7103LED-05             | 21        | EV35062RFGWH30        | 5         | <b>EVL61093T50WH</b>  | <b>7</b> | EVT1030D3A-05        | 17        |
| 902-454-ES-1           | 29        | EV35062RFGWH40        | 5         | <b>EVL61433DK50BK</b> | <b>6</b> | EVT1030D3A-06        | 17        |
| 906-247-ES-1           | 29        | EV36081WH30           | 3         | <b>EVL61433DK50BZ</b> | <b>6</b> | EVT1031D3A-05        | 17        |
| 930-174-ES-1           | 29        | EV36081WH40           | 3         | <b>EVL61433DK50WH</b> | <b>6</b> | EVT1031D3A-06        | 17        |
| AS1AD40-27             | 31        | EV36082WH30           | 5         | EVL6733CWH27          | 6        | EVT1032D3-05         | 17        |
| D248L-5OW-MB           | 21        | EV36082WH40           | 5         | <b>EVL6733DK50BK</b>  | <b>6</b> | EVT1032D3A-06        | 17        |
| D248L-7OW-MB           | 21        | EV457RWK50WH          | 2         | <b>EVL6733DK50BN</b>  | <b>6</b> | EVT1042D3A-05        | 17        |
| <b>DRF6WHWH9105C</b>   | <b>2</b>  | EV457SWK50WH          | 2         | <b>EVL6733DK50BZ</b>  | <b>6</b> | EVT1042D3A-06        | 17        |
| EV1011C5C-06           | 15        | EV480102RFGWH30       | 5         | <b>EVL6733DK50WH</b>  | <b>6</b> | <b>EVT41052D3-35</b> | <b>16</b> |
| EV1011SC5C-06          | 15        | EV480102RFGWH40       | 5         | EVL6733DWH27          | 6        | <b>EVT41052D3-43</b> | <b>16</b> |
| EV1014C5C-06           | 15        | EV490111WH30          | 3         | EVL6733DWH30          | 6        | EVT61047D3-05        | 16        |
| EV1014SC5C-06          | 15        | EV490111WH40          | 3         | EVL6742BWH30          | 5        | EVTR24DI48DTWP       | 26        |
| <b>EV103032MVK33WH</b> | <b>4</b>  | EV490112WH30          | 5         | EVL6742BWH40          | 5        | <b>EVWA09T8</b>      | <b>23</b> |
| EV1410C3C-34           | 12        | EV490112WH40          | 5         | <b>EVL69093DK50BK</b> | <b>6</b> | FL14NT50-48          | 30        |
| EV1410C3C-35           | 12        | <b>EV61518MVK33WH</b> | <b>4</b>  | <b>EVL69093DK50BZ</b> | <b>6</b> | FL17NT50-48          | 30        |
| EV1410C3C-43           | 12        | EV685RWK50WH          | 2         | <b>EVL69093DK50WH</b> | <b>6</b> | FL2016N40-06         | 30        |
| EV1412C3C-34           | 12        | EV685RWMVWH50         | 2         | <b>EVMP6HBMJ2W-I</b>  | <b>2</b> | FL2016N40-48         | 30        |
| EV1412C3C-35           | 12        | EV685SWK50WH          | 2         | <b>EVMPHB346</b>      | <b>3</b> | <b>GL11R150M</b>     | <b>28</b> |
| EV1412C3C-43           | 12        | EV685SWMVWH50         | 2         | EVR2000LA             | 7        | <b>GL11R150MH</b>    | <b>28</b> |
| EV1414C3C-34           | 12        | EV814RWMVWH50         | 2         | EVR2000LR             | 7        | GL14R30130           | 31        |
| EV1414C3C-35           | 12        | <b>EV814SWMVK50WH</b> | <b>2</b>  | EVR6LICATB            | 7        | <b>GRING06</b>       | <b>4</b>  |
| EV1414C3C-43           | 12        | EV814SWMVWH50         | 2         | EVR6LICRAT            | 7        | <b>GRING08</b>       | <b>4</b>  |
| EV1416C3C-34           | 12        | <b>EV82022MVK33WH</b> | <b>4</b>  | EVR6SLICATB-N         | 7        | <b>GRING10</b>       | <b>4</b>  |
| EV1416C3C-35           | 12        | EVDK690DBK30          | 9         | <b>EVR6SLICRAT-N</b>  | <b>7</b> | HB2B13DMP50          | 29        |
| EV1416C3C-43           | 12        | <b>EVDK690DBZ30</b>   | <b>9</b>  | EVRH2000BB            | 8        | HB2B19DMP50          | 29        |
| <b>EV1424C3C-35</b>    | <b>15</b> | EVDK690DWH27          | 9         | EVRH2000R             | 8        | HB4B28DMDP50         | 29        |
| <b>EV1424C3C-43</b>    | <b>15</b> | EVDK690DWH30          | 9         | EVRH5000SICAT         | 8        | HBA6T1835            | 29        |
| <b>EV1517L4-151</b>    | <b>14</b> | EVDK690DWH40          | 9         | EVRH7ICATB            | 8        | HBA6T1840            | 29        |
| <b>EV1558C3-43</b>     | <b>14</b> | EVDSK46010CWH27       | 9         | EVRH7ICRAT            | 8        | HBA6T1850            | 29        |
| <b>EV1572C3-342</b>    | <b>13</b> | EVDSK46010CWH30       | 9         | EVRT201LWH            | 8        | HBR14DMDP50          | 28        |
| <b>EV1573C3-342</b>    | <b>13</b> | EVDSK46010CWH40       | 9         | EVRT205WH             | 8        | HBR22DMDP50          | 28        |
| <b>EV1583C3-43</b>     | <b>13</b> | EVDSK69015CWH40       | 9         | EVRT432G2WH           | 8        | HBR27DMDP50          | 28        |
| <b>EV1584C3-338</b>    | <b>13</b> | EVDSK81825CWH27       | 9         | EVRT601WH             | 8        | HBR36DMDP50          | 28        |
| <b>EV1586C5-43</b>     | <b>13</b> | EVDSK81825CWH40       | 9         | EVRT603WH             | 8        | LED127               | 10        |
| EV23552WH30            | 5         | EVHBA6T8              | 29        | EVRT610MBWH           | 8        | LED1271-OSB          | 10        |
| EV23552WH40            | 5         | EVL4733CWH27          | 6         | EVRT610WH             | 8        | LED1271-SP           | 10        |
| EV26081WH30            | 3         | EVL4733CWH30          | 6         | EVRT634WH             | 8        | LED1272-WP           | 10        |

| ITEM #        | PAGE | ITEM #          | PAGE | ITEM #      | PAGE |
|---------------|------|-----------------|------|-------------|------|
| LED1274-PN    | 10   | LED33001-ORB    | 20   | TRS22BL20PD | 27   |
| LED1276-SB    | 10   | LED33001-SP     | 20   | TRS22BL30WD | 27   |
| LED1277-SB    | 10   | LED33001C-SP    | 21   | TRS24BL40PD | 27   |
| LED1279-BK    | 10   | LED33421-ORB    | 21   | TRS24BL50WD | 27   |
| LED1279-CH    | 10   | LED33431-ORB    | 21   | WA09T1840   | 23   |
| LED129        | 10   | LED33436-ORB    | 20   | WA09T1850   | 23   |
| LED1291-OSB   | 10   | LED33711-BNB    | 19   | WA1040D140  | 22   |
| LED1291-SP    | 10   | LED34511-RT     | 21   | WA304BL301  | 22   |
| LED1292-WP    | 10   | LED34521-RT     | 21   | WL11100DM40 | 22   |
| LED1294-PN    | 10   | LED34621-ORB    | 20   | WP30PV50-48 | 30   |
| LED1296-SB    | 10   | LED34631-ORB    | 20   | WP3BPV50-48 | 30   |
| LED1297-SB    | 10   | LED6020A-AST    | 19   | WP3EPV50-48 | 30   |
| LED1299-BK    | 10   | LED6071-SP      | 19   |             |      |
| LED1299-CH    | 10   | LED67801-SP-T24 | 19   |             |      |
| LED15011A-34  | 19   | LED68203-SP     | 18   |             |      |
| LED15011A-35  | 19   | LED68204-SP     | 18   |             |      |
| LED1552RGB-BN | 12   | LED68303-SP-T24 | 18   |             |      |
| LED1553RGB-BN | 12   | LED68304-SP-T24 | 18   |             |      |
| LED1554RGB-BN | 12   | LED6871-CH      | 19   |             |      |
| LED1555RGB-WH | 12   | LED6871-SP      | 19   |             |      |
| LED1590L3-BK  | 11   | LED89802-BK     | 19   |             |      |
| LED1590L3-WH  | 11   | PFRAMEGRID      | 4    |             |      |
| LED1591L3-BK  | 11   | PFRAMEJOIST     | 4    |             |      |
| LED1591L3-WH  | 11   | PHC24BL50       | 26   |             |      |
| LED1592L3-BK  | 11   | RB6WHWH8102C    | 7    |             |      |
| LED1592L3-WH  | 11   | RC7WHWH8102C    | 9    |             |      |
| LED1593L3-BK  | 11   | SL602T1840      | 31   |             |      |
| LED1593L3-WH  | 11   | SL602T1850      | 31   |             |      |
| LED22421-BNB  | 21   | ST4LSWDMDC      | 24   |             |      |
| LED22431-BNB  | 21   | ST4N40DMD35     | 25   |             |      |
| LED22436-BNB  | 20   | ST4N48DMD40     | 25   |             |      |
| LED23221-SV   | 20   | ST4N48DMD50     | 25   |             |      |
| LED31111A-ORB | 21   | ST702T1835      | 25   |             |      |
| LED31121A-ORB | 21   | ST702T1840      | 25   |             |      |
| LED31136A-ORB | 20   | ST702T1850      | 25   |             |      |
| LED32211-BK   | 21   | ST704T1835      | 25   |             |      |
| LED32311-FSN  | 21   | ST704T1840      | 25   |             |      |
| LED32536-BNB  | 20   | ST704T1850      | 25   |             |      |
| LED32611-BNB  | 20   | ST8L117DMD40    | 24   |             |      |
| LED32621-BNB  | 20   | ST8L74DMD40     | 24   |             |      |
| LED32826-BNB  | 20   | ST8LSWDMDC      | 24   |             |      |
| LED32911-BBZ  | 21   | ST8N96DMD40     | 25   |             |      |
| LED32921-BBZ  | 21   | ST8N96DMD50     | 25   |             |      |



